

Digitized by the Internet Archive in 2011 with funding from LYRASIS members and Sloan Foundation






COMMERCIAL FERTILIZERS

REPORT FOR 1941

E. M. BAILEY
Chemist in Charge



Connecticut Agricultural Experiment Station New Haven



CONTENTS

| | PAGE |
|---|------|
| Virgil L. Churchill | 40 |
| LAW AND REGULATIONS CONCERNING COMMERCIAL FERTILIZERS | 41 |
| Inspection of 1941 | 42 |
| Registrations | 42 |
| CLASSIFICATION OF FERTILIZER MATERIALS AND FERTILIZER TONNAGE | 48 |
| I. Raw materials chiefly valuable for nitrogen | 51 |
| II. Raw materials chiefly valuable for phosphoric acid | 51 |
| III. Raw materials chiefly valuable for potash | 51 |
| IV. Raw materials supplying nitrogen and potash | 51 |
| V. Raw materials supplying nitrogen and phosphoric acid | 52 |
| VI. Mixed Fertilizer | 52 |
| Home mixtures and special mixtures | 53 |
| State purchases of fertilizers | 53 |
| VII. Miscellaneous | 53 |
| Tables | 55 |
| Index | 94 |

VIRGIL L. CHURCHILL

Virgil L. Churchill, a valued member of the Station staff for 46 years, died on March 22, 1941.

As sampling agent for this department he was well known to farmers and to manufacturers and dealers of the fertilizer and feed industries of the State on whom he called regularly, taking official samples of their goods for analysis by the Station.

Three features are essential in any plan of inspection and analysis, and they are all equally important. The field sample must be representative of the stock examined; the analysis must be accurate; and the results must be interpreted correctly. Mr. Churchill knew the importance of his part in this program. He did his work faithfully and well, without undue show of authority, and always with consideration for the interest and convenience of those whose premises he visited.

A plain, dependable and good man, Mr. Churchill won the confidence, the trust and the friendliness of all with whom he had to deal. It is a tribute to him as a man and as a public servant that he will be missed by so many and remembered so long.

Commercial Fertilizers Report for 1941

E. M. Bailey Chemist in Charge

LAW AND REGULATIONS REGARDING COMMERCIAL FERTILIZERS

The term "commercial fertilizers" as used in the Connecticut fertilizer statute includes any and every substance imported, manufactured, prepared or sold for fertilizing or manuring or soil amendment purposes, except barnyard manure and stable manure that have not been artificially treated or manipulated, marl and lime.

The seller is responsible for the proper labelling of each package of fertilizer, for the registration of each brand sold or offered for sale, for the payment of the required analysis fee and for the payment of the tonnage tax. If, however, proper labelling, registration and payments of analysis fees and of tonnage tax have been provided for by the manufacturer or by another responsible person, all sellers of such brands are released from the above mentioned requirements. The retailer, therefore, should assure himself that the requirements of the law have been met by the manufacturer of the brands which he handles, or himself be prepared to meet all these requirements.

It frequently happens that a manufacturer or jobber sells fertilizer materials which are the products of, and which are registered by, another firm or individual. Distributors in such cases should sell such materials by the exact brand names under which they are registered in order that there may be no mistake as to the identity of brands. Any change in the brand names, or failure to make the identity of the brand and its manufacturer clear, makes the distributor liable for the registration of the product as his own brand.

The law exempts from registration, and from other requirements referred to, only (1) fertilizers passing through the State in transit; (2) fertilizers and fertilizer materials shipped to regular fertilizer factories to be used for manufacturing purposes; and (3) fertilizers and fertilizer chemicals sold to the Connecticut Agricultural Experiment Station for experimental purposes.

Cottonseed, linseed and soybean meals, when sold or used for fertilizer purposes, must be registered as fertilizers and the specified fees paid thereon. For such products the registration fee is \$10.00 for each brand payable annually, and six cents per ton tonnage fee, payable semi-annually.

Note: Analyses reported in this bulletin were made by Messrs. Nolan, Mathis and Walden; microscopic examinations by Miss Shepard; inspection and sampling by Mr. Nichols; and compilations by Mrs. Vosburgh.

These fecs are entirely apart from those required by the feeding stuffs statute.

Because manufacturers or jobbers often do not know how much, if any, of their brands are sold or used as fertilizers, local dealers report their sales to this Station. The information is not for publication but is used to inform manufacturers of the total sales of their brands as fertilizer in this State. It is expected that the fees will be paid by the manufacturers or other party responsible for the brands.

INSPECTION OF 1941

The Station Agent collected 322 official samples of fertilizer including all of the registered brands that could be located. These are summarized, together with unofficial samples submitted by farmers, in the classification list which follows, on page 48.

The tonnage data included in the summary are based on returns made to October 1 of this year and are practically complete. The tonnage represents that which is subject to the provisions of the fertilizer law; it does not include fertilizer materials distributed in the State under the Federal Agricultural Conservation program. The tonnage figures are for the period July 1, 1940 to June 30, 1941.

REGISTRATIONS

Late registrations for 1940

To the brands registered for 1940 in our last report should be added: Ashcraft-Wilkinson Co., Atlanta, Ga.

Cottonseed Meal-Castor Pomace Mixture

Registrations for 1941

For 1941, 61 firms and individuals registered 332 brands of fertilizers at this Station for sale in this State. As required by statute, the brands so registered are listed as follows:

The Acme Guano Co., Baltimore, Md. American Agricultural Chemical Co.,

Acme 3-10-4 Acme 3-12-6 Acme 4-8-4

Acme Vitaflor 4–8–5

Acme 4-8-10 Acme 5-8-7

Acme Plant Food 7-7-7 Acme 20% Superphosphate

Ted Alkire, Lubbock, Texas Kireal Cotton Hull Ash American Agricultural Chemical Co.
No. Weymouth, Mass.
AA 4-16-4 Fertilizer

AA 8-16-8 Fertilizer AA 8-16-16 Fertilizer

AA Market Garden Fertilizer 4-8-4 AA Potato and Root Crop Fertilizer 4-8-10

AA Potato and Vegetable Fertilizer 5-8-7

AA 16% Superphosphate AA 20% Superphosphate

AA Tobacco Starter 5-5-15 AA Top Dresser 7-7-7 Agrico for Aroostook with 10% Potash 5-8-10 Agrico for Corn 3-10-6 Agrico for Corn 4-12-6 Agrico Country Club Fertilizer 8-6-2 Agrico Country Club Fertilizer 8-6-4 Agrico for Fruit 8-8-4 Agrico for Gardens 4-10-4 Agrico for Lawns, Trees and Shrubs 7-7-5 Agrico for New England 4-8-10 Agrico for Potatoes and Vegetables 5-8-7 Agrico for Seeding Down 4-16-20 Agrico for Tobacco 6-3-6 Agrico for Top Dressing 7-7-7 Agrico for Truck 5-10-5 Agrinite (All Organic Turf Food) 8.5 Bradley's XL Fertilizer 3-10-4 Castor Pomace Fine Ground Bone Muriate of Potash Pulverized Sheep and Goat Manure Sanderson's Formula B 4–8–7

American Cyanamid Co., 30 Rockefeller Plaza, New York, N. Y.

20.6% 'Aero' Cyanamid Granular 21.0% 'Aero' Cyanamid Granular 22.0% 'Aero' Cyanamid Pulverized

American Potash & Chemical Corp., 70 Pine St., New York, N. Y.

Trona Muriate of Potash

Apothecaries Hall Co., Waterbury, Conn.

Ammo-Phos 11-48-0 Bone Meal 2.25 Bone Meal 3.70 Cal Nitro Castor Pomace Cotton Hull Ashes Dry Ground Fish Liberty Corn Fertilizer 3-12-6 Liberty Green Gro 6-5-3 Liberty High Analysis Fertilizer 8-16-16 Liberty High Grade Corn Fertilizer 4-12-4 Liberty High Grade Fertilizer for Fruit 10-5-5 Liberty High Grade Market Gardeners 5–8–7 Liberty High Grade Tobacco Manure 7-3-7

Liberty High Grade Vegetable

Liberty Manure Supplement 0-20-10

5-10-10

Spec. 4-8-4 Liberty Potato and General Crops 4-8-10 Liberty Special Fertilizer for Fruit and Grass 7-7-7 Liberty Special Fertilizer for Lawns, etc. 4-4-0 Liberty Tobacco Mixture 5-3-5 Liberty Tobacco Mixture 6-3-6 Liberty Tobacco Mixture 6-3-7 Liberty Tobacco Starter 4-10-0 Liberty Tobacco Starter with Potash 5-5-15 Liberty Top Dresser for Grass and Grain 8-8-8 Liberty Tree and Shrub Food 10-8-8 Liberty Truck Garden and Onion Fertilizer 5-10-5 Muriate of Potash Nitrate of Potash Precipitated Bone Sheep Manure Sulphate of Ammonia Sulphate of Potash Superphosphate 16% Superphosphate 20% Tankage Triple Superphosphate 40%

Liberty Market Gardeners

Archer-Daniels-Midland Co., Minneapolis, Minn.

37% Protein Old Process Linseed Meal 44% Protein Soybean Oil Meal

Armour Fertilizer Works, 120 Broadway, New York, N. Y.

Armour's Big Crop Fertilizer 3-12-6
Armour's Big Crop Fertilizer 4-8-4
Armour's Big Crop Fertilizer 4-8-10
Armour's Big Crop Fertilizer 5-8-7
Armour's Big Crop Fertilizer 5-10-5
Armour's Big Crop Fertilizer 5-10-10
Armour's Big Crop Fertilizer 7-7-7
Armour's Big Crop Fertilizer 8-16-20
Armour's Big Crop Superphosphate
20%
Armour's Big Crop Tobacco Special
5-3-5
Armour's Big Crop Tobacco Special

6-3-6 Armour's Big Crop Tobacco Special 7-3-7

Armour's Big Crop Tobacco Starter 5-5-15 Armour's Bone Meal Fertilizer

2.47-23 Armour's Fertilizer 8-16-16 Armour's Garden and Lawn

Fertilizer 4-8-8 Armour's Sheep and Goat Manure Armour's Special Putting Green Mixture 8-5-2 Cotton Seed Meal

Muriate of Potash

Ashcraft-Wilkinson Co., Atlanta, Ga.

Cottonseed Meal—Castor Pomace Mixture

Coweta Brand Cottonseed Meal

Associated Seed Growers, Inc., New Haven, Conn.

Clark's Tip Top Fertilizer 5-8-7 Clark's 5-10-5 Fertilizer

Atkins & Durbrow, Inc., 165 John St., New York, N. Y. Driconure 2-1-1

The Barrett Co., 40 Rector St., New York, N. Y.

Arcadian The American Nitrate of Arcadian Sulphate of Ammonia

Sulphate of Ammonia

F. A. Bartlett Tree Expert Co., Inc., 60 Canal St., Stamford, Conn.

Bartlett Green Tree Food 6-7-4

The Baugh & Sons Co., 25 S. Calvert St., Baltimore, Md.

Baughphos, The Ideal 20% Superphosphate Baugh's Fish Bone and Potash

Mixture 4-8-4 Baugh's Old Dependable Potato

Grower 4-8-10

Baugh's Perfection Brand 3-10-6 Baugh's Peruvian Guano Substitute 5-8-7

Baugh's Premium Plant Food and

Soil Builder 5-10-5
Baugh's Pure Steamed Bone Meal
Baugh's Raw Bone Meal,
Warranted Pure

Baugh's Special Top Dresser 7-6-6 Baugh's Truckers Favorite 5-10-5

Berkshire Chemical Co., Bridgeport, Conn.

Berkshire Castor Pomace Berkshire Castor Fornace Berkshire Fertilizer 4–8–4 Berkshire Fertilizer 4–8–10 Berkshire Fertilizer 5–8–7 Berkshire Fertilizer 5–8–10 Berkshire Fertilizer 5–10–5 Berkshire Fertilizer 5-10-10 Berkshire Fertilizer Tobacco 6-3-6 Berkshire Fertilizer Grass Special 6-6-5

Berkshire Fertilizer 7-6-6 Berkshire Fertilizer 7-7-7 Berkshire Fertilizer 10-6-4 Berkshire Fine Ground Bone Berkshire Golf Green Fertilizer 8-5-2 Berkshire Sheep and Goat Manure

Bradley & Baker, 155 East 44th St., New York, N. Y.

Cottonseed Meal-Castor Meal Mixture

Central Soya Co., Inc., Fort Wayne, Ind.

Central Star Brand Soybean Oil Meal 44%

Chilean Nitrate Sales Corp., 120 Broadway, New York, N. Y.

Chilean Nitrate of Soda -Champion Brand Chilean Nitrate of Soda -Original Old Style Chilean Nitrate of Soda and Potash

Connecticut Toro Co., 77 Wellington St., Hartford, Conn.

Netco 8-6-2

Consolidated Rendering Co., 178 Atlantic Ave., Boston, Mass.

Corenco 3-10-4 Animal Brand Corenco 4-8-4 Corn and Vegetable Corenco 4-8-7 Market Garden Corenco 4-8-10 Potato Grower Corenco 5-5-5 Lawn and Shrub Corenco 5-5-15 Tobacco Starter Corenco 5-8-7 General Crop Manure Corenco 5-8-10 Peerless Potato Corenco 5-10-5 Super Truck Corenco 6-3-6 Special Tobacco

Grower Corenco 7-6-6 Complete Fruit and Top Dressing

Corenco 7-7-7 Complete Fruit and Top Dressing Corenco 8-16-14 Two-in-One Corenco Ground Bone

Corenco Raw Bone Fertilizer Corenco Sheep Manure Ground Tankage Muriate of Potash Sulphate of Ammonia 20.5%

Superphosphate 16% Superphosphate 20%

The Davey Tree Expert Co., Kent, Ohio

Davey Shredded Cattle Manure 1-1-2 Davey Tree Food 12-4-4

The Davison Chemical Corp., Baltimore, Md.

Davco Granulated 20% Superphosphate

E. I. duPont de Nemours & Co., Inc., Wilmington, Del.

Uramon Fertilizer Compound

Eastern States Farmers' Exchange, Springfield, Mass.

Ammo-Phos, product of American Cyanamid Co.

Eastern States 0-20-20

Eastern States 4-16-20

Eastern States 5-5-15 Tobacco

Eastern States 5-10-5 Eastern States 5-10-10

Eastern States 5-15-5

Eastern States 7-7-7

Eastern States 7-14-21 Eastern States 8-4-8 Tobacco

Eastern States 8-16-8

Eastern States 8-16-16

Eastern States 8-16-16 LCS (Low Chlorine Special) Eastern States 8-16-16 SM

(Soluble Magnesium)

Eastern States 8-24-8
Eastern States 10-5-5
Eastern States 10-10-10
Eastern States Agricultural Urea

Eastern States Castor Pomace Eastern States Cottonhull Ash

Eastern States Cottonseed-

Castor Meal

Eastern States Dry Ground Fish

Eastern States Ground Steamed

Eastern States Muriate of Potash Eastern States Sulphate of Ammonia

Eastern States Sulphate of Potash Eastern States Superphosphate 20% Eastern States Superphosphate 47%

Triple

Thomas W. Emerson Co., 213-215 State St., Boston, Mass.

Emseco All Use Fertilizer 7-7-7 English Formula Lawn and Garden Dressing 5-7-3

Faesy & Besthoff, Inc., 22 E. 40th St., New York, N. Y.

Bone Meal

Ford Motor Co., Dearborn, Michigan Ford Ammonium Sulphate

General Chemical Co., Mechling Products Div., Camden, N. J. Veget-Aid 5-10-4

Glidden Co., Soya Products Div., 5165 W. Moffat St., Chicago, Ill.

Glidden 4 Hi Brand 44% Protein Sovbean Oil Meal

Goulard & Olena, Inc., 140 Liberty St., New York, N. Y.

G & O Ground Bone

G & O Lawn, Garden and Flower Fertilizer 5-8-5

G & O Sheep Manure

J. B. Golf Greens 10-4-3

Greenlands Services, Inc., Concord, N. H.

Fertilizers for Lawns and Grasses 6-8-6

Fertilizers for Rhododendrons and Evergreens 4-6-4

A. H. Hoffman, Inc., Landisville, Pa.

Hoffman's Bone Meal Hoffman's Cow Manure Hoffman's Sheep Manure

Humphreys-Godwin Co., Memphis, Tenn.

Bull Brand Prime 43% Protein Cottonseed Meal Dixie Brand Prime 41% Protein Cottonseed Meal

Killen & Hall, Inc., Darien, Conn. Killen and Hall Tree Food 8-5-2

Kuiper & Bolle, 508 Produce Exchange, New York, N. Y. Kay-Bee Brand Linseed Meal

L. B. Lovitt & Co., Memphis, Tenn.

"Lovit Brand" 41% Protein Cottonseed Meal

McArdle's Seed Store, 388 Greenwich Ave., Greenwich, Conn.

McArdle's Special Fertilizer 6-5-3

Meader & Co., Inc., 10 West 33rd St., New York, N. Y.

"Purifine" Brand Linseed Oil Meal

National Lead Co., 111 Broadway, New York, N. Y.

Dutch Boy 32% O. P. Linseed Meal

Old Deerfield Fertilizer Co., Inc., South Deerfield, Mass.

Castor Pomace Cotton Hull Ashes Cottonseed Castor Mixture 41% Protein

Old Deerfield 4-8-7 Old Deerfield 5-5-15 Tobacco

Starter Bone and Potash Old Deerfield 5-8-7 and 2% (Potash other than Muriate)

Old Deerfield 5-10-10

Old Deerfield 6-3-7 Tobacco

Old Deerfield 8-16-20
Old Deerfield Bry Ground Fish
Old Deerfield Fine Ground Bone

Olds & Whipple, Inc., Hartford, Conn.

High Grade Sulphate of Potash 48% K₂O

Horn and Hoof Meal

O & W 3-10-4 Corn Special Fertilizer

O & W 4-8-4 Market Garden Fertilizer

O & W 4-8-7 Potato and General

Purpose Fertilizer
O & W 5-3-5 Complete Tobacco Fertilizer

O & W 5-5-15 H. G. Tobacco Starter and Potash Compound

O & W 5-8-7 Potato and General Purpose Fertilizer

O & W 5-10-10 Fertilizer

O & W 6-3-5 Blue Label Tobacco Fertilizer (Potash derived from Cotton Hull Ashes)

O & W 6-3-6 Blue Label Tobacco

Fertilizer

O & W 6-3-6 Blue Label Tobacco Fertilizer (Potash derived from Cotton Hull Ashes)

O & W 6-3-7 Special Tobacco Fertilizer

O & W 7-6-6 Fertilizer O & W 7-7-7 Top Dressing and Grass Fertilizer

O & W Bone Meal

O & W Castor Pomace

O & W Castor Fornace
O & W Cotton Hull Ashes
O & W Dry Ground Fish
O & W Nitrate of Potash
O & W Precipitated Bone

Phosphate

O & W Superphosphate 16% O & W Superphosphate 20%

So. American Cottonseed Meal 95% —Castor Pomace 5% Mixture

Outpost Nurseries, Inc., Ridgefield, Conn.

Outpost Plant Food 8-5-2

Plantspur Products Co., Ridgefield, N. J.

Plantspur Fertilizer 3-3-2

Frank S. Platt Co., New Haven, Conn. Platco 5-8-7 Fertilizer Platt's 10-5-5 Sp. Lawn Fertilizer

The Pulverized Manure Co., 503 Exchange Bldg., Union Stock Yard, Chicago, Ill.

Wizard Brand Cow Manure Wizard Brand Pulverized Sheep

The Rogers & Hubbard Co., Portland, Conn.

Cotton Hull Ash Hubbard's All Soils Fertilizer 4-8-4 Hubbard's Castor Pomace Hubbard's Climax Tobacco Fertilizer 5-3-5

Hubbard's Corn Fertilizer 4-8-7 Hubbard's Corn and Grain Fertilizer 3-10-4

Hubbard's Dry Ground Fish Meal Hubbard's Fine Ground Bone Hubbard's Fruit Fertilizer 8-8-8

Hubbard's Golf Course Fertilizer Hubbard's Gro-Fast Fertilizer 5-8-6

Hubbard's High Potash Fertilizer 4-8-10 Hubbard's Mus-Gro 4-14-0

Hubbard's Potato Fertilizer 5-8-7 Hubbard's Raw Knuckle Bone Flour Hubbard's Seeding Fertilizer Hubbard's Sheep and Goat Manure Hubbard's Strictly Pure Bone Hubbard's Strictly Pure Bone Hubbard's 16% Superphosphate Hubbard's 20% Superphosphate Hubbard's Tobacco Grower 6-3-6 Hubbard's Top Dressing Hubbard's Vegetable Manure

Red H Brand 4-8-4 Red H Brand 4-8-7

Red H Brand 4-8-10 Red H Brand 5-8-7

Red H Brand 5-10-10

Red H Brand 7-6-6 Red H Brand 7-7-7

Red H Brand 8-16-14

Yale Special Mixture 8-6-4

Ruhm Phosphate & Chemical Co., Mt. Pleasant, Tenn.

Red Seal Brand Ruhm's Phosphate Rock (Washed and Ground)

O. M. Scott & Sons Co., Marysville, Ohio

Scott's Turf Builder 10-6-4

Sewerage Commission of the City of Milwaukee, Milwaukee, Wis. Milorganite

M. L. Shoemaker Co., Philadelphia, Pa. Shoemaker's "Swift-Sure" 4-10-0 Tobacco Starter

Soil Builders, Inc., Dunnellon, Fla. Min-Coll

A. E. Staley Manufacturing Co., Decatur, Ill. Staley's Sov-Al-King

Standard Wholesale Phosphate & Acid Works, Inc., Baltimore, Md.

Standard 20% Superphosphate

Stumpp & Walter Co., 132 Church St., New York, N. Y.

Sawco Bone Fertilizer 2.47-24.00% Sawco Cattle Manure Sawco Emerald Grass Fertilizer 5 - 7 - 3

Sawco General Garden Fertilizer 5-10-5

Sawconure 3-1-1 Sawco Pulverized Sheep Manure 2-1-2 Sawco Rose Food 3-4-2

Summers Fertilizer Co., Inc., Baltimore, Md.

Summers "Best on Earth" 5-8-7 Summers "Best on Earth" 8-5-2 Summers "Best on Earth" 20% Superphosphate Summers "Best on Earth" 40% Superphosphate

Swift & Co. Fertilizer Works, Baltimore, Md.

Bone Meal Fertilizer Roselawn 5-8-7 Swift's Sheep Manure 1.85-1-1.75 Swift's Special Golf Fertilizer 6-12-4 Swift's Special Golf Fertilizer 12-6-4 Vigoro

Tennessee Corp., Lockland, Ohio Loma (5-10-4)

I. P. Thomas & Son Co., 721 Market St., Camden, N. J.

I. P. Thomas 3-10-6I. P. Thomas 5-8-7

Walker-Gordon Laboratory Co., Inc., Plainsboro, N. J.

Bovert Boyung (Dehydrated Cow Manure)

F. H. Woodruff & Sons, Inc., Milford, Conn. Gro-Sod Lawn Food 10-6-4

Woodruff Fertilizer Works, Inc., Orange, Conn.

Woodruff's Big Crop Fertilizer 5-8-7 Woodruff's Corn Fertilizer 4-16-4 Woodruff's Double Strength Fertilizer 8-16-16 Woodruff's Market Garden Fertilizer 4-8-4
Woodruff's Superphosphate 20%
Woodruff's 3-10-6 Fertilizer
Woodruff's Top Dresser 7-6-6
Woodruff's Yankee Special

Fertilizer 5-10-5.

CLASSIFICATION OF FERTILIZER MATERIALS AND FERTILIZER TONNAGE

| | | Page No. | Number of Samples | Tonnage | |
|------|--|--|--------------------------------|--|--------|
| I. | Containing Chiefly Nitrogen | | | | |
| | Nitrate of soda Ammonium sulphate Castor pomace Cottonseed meal (and C.S.MC.P.) Linseed meal Soybear: meal Other materials | 55 55 57 57 58 58 55 | 6 6 9 138 19 11 | 1,285 272 2,358 11,321 474 545 388 | 16,643 |
| II. | Containing Chiefly Phosphoric Acid | | | | |
| | Superphosphate Precipitated bone Other materials | 59 60 60 | 34 8 1 | 5,328 307 3 | 5,638 |
| III. | Containing Chiefly Potash | | | | |
| | Muriate of potash Sulphate of potash Cottonhull ashes | 61 61 61 | 5 5 44 | 676 287 1,637 | 2,600 |
| IV. | Containing Nitrogen and Potash | | | | |
| | Nitrate of potash | 51 52 | 6 5 | 158 267 | 425 |
| V. | Containing Nitrogen and Phosphoric Acid | | | | |
| | Dry ground fish Tankage, etc. Ground bone Other materials | 62 63 64 52, 63 | 26 3 40 4 | 1,250 485 1,415 176 | 3,326 |
| VI. | Mixed Fertilizers | | | | |
| | Commercial mixtures | 66-79 81-86 | 195 73 | 29,775* 2,596 | 32,371 |
| VII. | Miscellaneous | | | | |
| | Sheep manure, etc | 87, 88 89-92 93 | 17 42 38 | 594 | |
| | Check meals and fertilizers | 54 | 42 | | 594 |
| | Totals | | 794 | | 61,597 |

^{*}For detailed statement of this tonnage see next page.

MIXED FERTILIZER TONNAGE

Fertilizer ratios and grades recommended for Connecticut (University of Connecticut Extension Service, Bul. 302, Jan. 1941)

| Ratio | Grade | No. of brands | Tonnage |
|-------|-------------------------|---------------|---------|
| 1-1-1 | 7-7-7 | 10 | 1,305 |
| - | 8-8-8 } | 3 | 354 |
| 1-1-3 | 5-5-15 | 7 | 673 |
| 2-1-1 | 10-5-5 | 3 | 109 |
| 2-1-2 | 6–3–6 | 8 | 3,061 |
| | 7–3–7* \ 8–4–8 } | 3 | 1,261 |
| 1–2–1 | 5–10–5 8–16–8 | 14 | 819 |
| 1-3-1 | 4-12-4 | 3 | 530 |
| | 5–15–5 8–24–8 | 3 | 513 |
| 1–2–2 | 4–8–8 5–10–10 | 8 | 1,258 |
| | 8-16-16 | 8 | 992 |
| | 5-8-7* | 21 | 9,030 |
| | 4-8-10* \ 8-16-20* \ | 12 | 1,160 |
| 1-4-2 | 3-12-6 | 3 | 232 |
| 1-4-5 | 4-16-20 | 3 | 153 |
| | Total | | 21,450 |

Miscellaneous grades supplying 20 or more units of plant food

| Ratio | | Grade | | No. of brands | Tonnage |
|-------|--------|------------------|---|---------------|---------|
| | | 0-20-10 | j | | |
| | | 8-8-4 | | 7 | 390 |
| | | 4–16–4 4–12–6 | Ì | / | 390 |
| | | 7-14-21 | | | |
| | | |) | | |
| | | 10-8-8 10-8-6 | 1 | | |
| | | 12-6-4 | } | 4 | 50 |
| | | 12-4-4 | | | |
| | | | , | | |
| | | 10-6-4 | | 1.1 | 211 |
| | | 8–5–8 6–12–4 | Ì | 11 | 311 |
| | | 0-12-4 | J | | |
| | | 5-8-10 |] | | |
| | | 8-16-14 | } | 8 | 782 |
| | | 0-20-20 | J | | |
| | Total | | | | 1,533 |
| | - Juli | | | | -, |

^{*}Not recommended ratios but commonly used in Connecticut.

MIXED FERTILIZER TONNAGE—(Concluded)

Miscellaneous grades supplying less than 20 units of plant food

| Ratio | Grade | No. of brands | Tonnage |
|-------|---|---------------|---------|
| | 5-8-6 3-4-2 4-4-0 4-10-0 4-14-0 | 7 | 406 |
| | 3–3–2 6–6–5 6–7–4 7–7–5 | 5 | 267 |
| | 7-6-6 | 6 | 344 |
| | 6-5-3 8-6-2 8-6-4 10-4-3 | 8 | 206 |
| | 8-5-2 | 5 | 131 |
| | 5–3–5 5–5–5 | 6 | 736 |
| | 6–3–7 | 3 | 1,092 |
| | 4-8-4 | 11 | 1,923 |
| | 3-10-4 | 5 | 378 |
| | 4-8-7 | 9 | 543 |
| | 6-3-5 4-10-4 3-7-6 | 3 | 156 |
| | 3-10-6 | 6 | 539 |
| | 4–8–5 5–7–3 5–8–5 5–10–4 | 5 | 71 |
| | Total | | 6,792 |

I. RAW MATERIALS CHIEFLY VALUABLE FOR NITROGEN

Nitrate of Soda, etc.

Materials in this group are summarized in Table 1. Guaranties were substantially met or exceeded in all cases.

Samples drawn and submitted by purchasers are not included in the tabulation.

Vegetable Meals

Samples of cottonseed meal-castor pomace 904 to 909 inclusive were drawn from stock of L. B. Haas & Co. The average of 6 samples was 6.01 percent nitrogen, and 7.69 percent moisture. The average of 8 samples drawn and submitted by the purchaser was 6.11 percent nitrogen and 6.57 percent moisture. On a moisture-free basis the agreement between official samples and those submitted by the purchaser is very close, 6.51 percent and 6.54 percent nitrogen respectively. This meal was a Peruvian product.

Analyses of vegetable meals are given in Table 2.

II. RAW MATERIALS CHIEFLY VALUABLE FOR PHOSPHORIC ACID

Superphosphate formerly contained 16 percent of available phosphoric acid but in recent years 20 to 40 percent grades are common. One sample this year contained 47 percent. All samples examined met their guaranties except in two cases where slight deficiencies were noted.

One sample of precipitated bone was below guaranty. An unofficial sample from the same source, however, was not deficient. The stock was exhausted before a second official sample could be obtained.

Min-Coll is a natural phosphate valuable only as a source of total phosphoric acid. The phosphoric acid is largely in citrate-insoluble form.

Analyses of materials in this group are given in Table 3.

III. RAW MATERIALS CHIEFLY VALUABLE FOR POTASH

Official samples of potash salts and of cottonhull ashes are listed in Table 4.

Guaranties were met or exceeded in all samples examined.

The Old Deerfield Fertilizer Co. registered cottonhull ashes 35 percent K_2O . No official samples were secured but several samples submitted by purchasers were analyzed and met the guaranty.

IV. RAW MATERIALS SUPPLYING NITROGEN AND POTASH

No official samples of nitrate of potash were taken, but six samples were examined for purchasers.

One official sample of nitrate of potash-soda, the same registered by the Chilean Nitrate Sales Corp., New York, and sampled from stock of Apothecaries Hall Co., was examined and found to meet the guaranties. Nitrogen found 15.06 percent, guaranteed 15; potash found 15.31 percent, guaranteed 14.

V. RAW MATERIALS SUPPLYING NITROGEN AND PHOSPHORIC ACID

Analyses of official samples of dry ground fish, of tankage and of ground bone are given in Tables 5, 6 and 7, respectively.

One sample of tankage showed a slight deficiency in nitrogen.

Sample 258, steamed bone meal, was deficient in total phosphoric acid. The sample contained 0.7 percent of nitrogen in the form of ammonium salt and some mineral phosphate was present. It was not straight steamed bone. The purchase involved only a one-quarter ton lot.

Ammo-Phos, although not an organic and not included in tabulations above named, may be included in this group as a source of nitrogen and phosphoric acid. One sample taken from stock of Apothecaries Hall Co. was guaranteed nitrogen 11 percent, available P_2O_5 48 percent. It analyzed 10.79 nitrogen and 48.82 P_2O_5 .

VI. MIXED FERTILIZERS

Analyses of 183 official samples of mixed fertilizers are given in Table 8. Results may be summarized as follows:

| Total number of samples | 183 |
|---|------|
| Samples deficient in | |
| one item | |
| two items 6 | |
| three items 0 | 44 |
| Percentage of samples meeting guaranties in all items | 75 |
| Total guaranties made | 547¹ |
| Guaranties not met: | |
| nitrogen 21 | |
| phosphoric acid 14 | |
| potash | 50 |
| Percentage of guaranties met | 91 |

Two samples with only two items guaranteed.

Seventy-five percent of the samples analyzed substantially met or exceeded guaranties in all respects; and 91 percent of guaranties made were fulfilled. Only three samples showed commercial deficiencies in excess of \$1.00 per ton. These were 542, Acme 4–8–4, (\$1.29); 809, Armour's 8–16–16 (\$1.62), and 676, G & O 5–8–5, (\$1.65).

The distribution of chemical deficiencies is given in Table 8a. They are notably less than in the two years previous. Deficiencies of 0.1 percent or less in nitrogen, and 0.2 percent or less in available phosphoric acid and potash are not included.

Organic nitrogen of inferior quality was indicated in 861, Plantspur 3–3–2. The nitrogen guaranty is nearly met with nitrogen from ammonium salts; but the activity of the insoluble organic nitrogen was low by both the alkaline and the neutral permanganate methods, 40 and 36 respectively.

Home Mixtures

Analyses of home mixed fertilizer are given in Table 9. For the most part these are formulas for tobacco.

State Purchases of Fertilizer

Fertilizers sold on state purchase orders for the use at state institutions are included in our regular inspection by request of the State Supervisor of Purchases. The fertilizer law provides no exemption from registration and tonnage tax for such sales; the only exemption is for fertilizer sold to the Experiment Station for experimental purposes.

State purchase orders often call for fertilizer mixtures of odd and irregular grades which puts an unwarranted burden upon the manufacturer who must register such brands. The situation would be materially improved if such orders were confined to those grades that have been adopted by agreement among agronomists as serving all practical agricultural needs for our New England area. (See p. 49 of this report).

Samples of goods sold on state purchase orders are indicated by footnotes in the several tables. A summary of them is as follows:

| No. of samples | Material | Reference |
|----------------|-----------------------|-----------|
| 7 | Nitrate of soda, etc. | Table 1 |
| 5 | Superphosphate, etc. | " 3 |
| 3 | Potash salts | " 4 |
| 1 | Bone | " 7 |
| 14 | Mixed Fertilizers | " 8 |

All of these samples were of the substance and quality demanded and without significant commercial deficiencies, except the sample of bone which has already been commented upon, p. 52.

VII. MISCELLANEOUS

Analyses of official samples of sheep manure and similar materials are given in Table 10.

Liming materials are not required to be registered in this State but many samples have been examined for purchasers and a few official samples have been drawn. Analyses are given in Table 11.

Thirty-eight samples of other miscellaneous materials have been examined. Some of these are listed in Table 12 for reference purposes.

Sample 1138 was vegetable waste (apparently tea leaf waste) treated with liming material. Such material is sold by itinerant vendors from trucks and is usually brought in from outside the State. It is in a wet

condition and usually contains from 40 to 50 percent of water. Such material, however it may be represented, is not a "fertilizer" in the common understanding of that term, and not accepted for registration under our fertilizer law, because it supplies only an insignificant amount of plant food (nitrogen, phosphoric acid and potash). It does, however, contain a considerable amount of organic matter which has some value as a mulch and as a soil conditioner because of its moisture-holding capacity. Sample 1138, for example, in spite of the fact that it contains 840 lbs. of water to the ton, contains also, 788 lbs, of organic matter. The worth of such organic matter is fairly comparable with that in peat moss or in peat or muck from local deposits. Thus a bushel (weighing about 30 lbs.) would contain about 12 lbs. of organic matter. At 1.25 to 2 cents per pound the purchaser will pay for organic matter at about the same rate that he does when he buys peat moss or swamp muck locally. But clearly it would be better for purchasers to investigate local sources of supply than to absorb the cost of hauling such material from remote places, and assume the risk of uncertain substance and quality of material from unknown sources.

The laboratory has continued to take part in the collaborative programs of the American Oil Chemists Society and of the F. S. Royster Guano Co. and has analyzed 42 samples of cottonseed meal and mixed fertilizers. These programs are participated in by state, commercial and industrial chemists in the interest of uniformity in control work.

TABLE 1. ANALYSES OF NITRATE OF SODA, ETC.

| | | | Per nitro | |
|------------------|---|---|--------------|------------|
| Station No. | Manufacturer or Jobber | Sampled from stock of | Found | Guaranteed |
| | Nitrate of Soda | | | |
| 2571 | Arcadian The American. The Barrett Co., New York, N. Y. | Cheshire: Cheshire Reformatory | 16.10 | 16.00 |
| 5351 | Arcadian The American. The Barrett Co., New York, N. Y. | Newtown: Fairfield State Hospital | 16.08 | 16.00 |
| 739 | Arcadian The American. The Barrett Co., New York, N. Y. | East Hartford: John M. Herr | 16.14 | 16.00 |
| 785¹ 463 | Arcadian The American. The Barrett Co., New York, N. Y. | Mansfield Depot: Mansfield State Training School | 16.22 | 16.00 |
| 403 | Chilean, Champion Brand. Chilean Nitrate Sales Corp., New York, N. Y | West Haven: American Agricultural Chemical Co. | 16.04 | 16.00 |
| 447 | Cyanamid 21% 'Aero' Granular. American Cyanamid Co., New | | | |
| 533¹ | York, N. Y | Hamden: Henry D. Peters | 21.08 | 21.00 |
| 761¹ | can Cyanamid Co., New York, N. Y | Newtown: Fairfield State Hospital | 22.00 | 21.00 |
| 701 | 20% 'Aero' Granular. American Cyanamid Co., New-York, N. Y. | Middletown: Middletown State Hospital | 21.00 | 21.00 |
| 525 | Urea, etc. | | | |
| 545 | Eastern States. Eastern States Farmers' Exchange, Springfield, Mass | So. Windsor: I. Stone | 42.40 | 42.00 |
| 736 | Uramon Fertilizer Compound. E. I. duPont de Nemours & Co., Inc., Wilmington, Del. | East Hartford: John M. Herr | 42.00 | 42.00 |
| 422 | Sulphate of Ammonia | East Windsor: Apothecaries | | |
| 683 ¹ | Apothecaries Hall Co., Waterbury, Conn | Hall Co | 20.44 | 20.50 |
| 762 ¹ | New York, N. Y | Niantic: Seaside Sanatorium Middletown: Middletown | 20.84 | 20.60 |
| 814 | New York, N. Y Eastern States. Eastern | State Hospital | 20.94 | 20.60 |
| | States Farmers' Exchange, Springfield, Mass | East Hartford: Eastern States Farmers' Exchange | 20.62 | 20.50 |
| 766 | Ford. Ford Motor Co., Dearborn, Mich. | Middletown: Longworth & Carlson | 20.80 | 20.80 |

¹State purchase.

Table 1. Analyses of Nitrate of Soda, Etc.—(Concluded)

| | | | Per o | |
|-------------|--|-----------------------|-------|------------|
| Station No. | Manufacturer or Jobber | Sampled from stock of | Found | Guaranteed |
| 452 | Agrinite (All Organic Turf Food). American Agricultural Chemical Co., No. Weymouth, Mass | | 9.85 | 8.50 |

TABLE 2. ANALYSES OF CASTOR POMACE, COTTONSEED MEAL, ETC.

| | | | Per conitrog | |
|-------------|--|---|--------------|------------|
| Station No. | Manufacturer or Jobber | Sampled from stock of | Found | Guaranteed |
| 878 | Castor Pomace American Agricultural | | | |
| 428 | Chemical Co., No. Wey- mouth, Mass | West Haven: American Agricultural Chemical Co. East Windsor: Apothecaries | 5.04 | 4.50 |
| 740 | terbury, Conn | Hall Co | 5.57 | 4.50 |
| 518 | terbury, Conn | Herr East Hartford: Olds & | 5.81 | 4.50 |
| | Inc., Hartford, Conn | Whipple, Inc | 5.76 | 4.50 |
| | Cottonseed Meal | | | |
| 804 | Cottonseed Meal–Castor Pomace Mixture. Ashcraft- Wilkinson Co., Atlanta, Ga. | So. Windsor: Cohen Bros | 6.64 | 6.58 |
| 424 | Cottonseed Meal-Castor Pomace Mixture. Bradley | East Windsor: Apothecaries | 0.04 | 0.56 |
| 920 | & Baker, New York, N. Y. Dixie. Humphreys-Godwin | Hall Co | 7.57 | 6.56 |
| 1119 | Co., Memphis, Tenn "Lovit 41%." L. B. Lovitt & | Farmers' Exchange | 6.56 | 6.56 |
| 890 | Co., Memphis, Tenn Cottonseed-Castor Mixture. | West Suffield: A. N. Shepard | 6.41 | 6.56 |
| 832 | Old Deerfield Fertilizer Co., So. Deerfield, Mass | Glastonbury: E. J. Bantle | 6.62 | 6.56 |
| 904 | Old Deerfield Fertilizer Co., So. Deerfield, Mass | Suffield: James Davis | 6.21 | 6.56 |
| | Old Deerfield Fertilizer Co., So. Deerfield, Mass | Hazardville: L. B. Haas & Co | 6.04 | 6.56 |
| 905 | Cottonseed-Castor Mixture. Old Deerfield Fertilizer Co., So. Deerfield, Mass | Hazardville: L. B. Haas & | 6.01 | 6.56 |
| 906 | Cottonseed-Castor Mixture. Old Deerfield Fertilizer Co., So. Deerfield, Mass. | Hazardville: L. B. Haas & Co. | 6.07 | 6.56 |
| 907 | Cottonseed-Castor Mixture. Old Deerfield Fertilizer Co., | Hazardville: L. B. Haas & | | |
| 908 | So. Deerfield, Mass Cottonseed-Castor Mixture. Old Deerfield Fertilizer Co., | Co | 5.98 | 6.56 |
| 909 | So. Deerfield, Mass | Co | 6.02 | 6.56 |
| | Old Deerfield Fertilizer Co., So. Deerfield, Mass | Hazardville: L. B. Haas & Co | 5.93 | 6.56 |

Table 2. Analyses of Castor Pomace, Cottonseed Meal, Etc.—(Concluded)

| | | | Per o | |
|-------------|--|--|------------|-------|
| Station No. | Manufacturer or Jobber | Sampled from stock of | Guaranteed | Found |
| | Linseed Meal | | | |
| 1015 | Kay-Bee. Kuiper & Bolle, New York, N. Y | Simsbury: Cullman Bros., Farm No. 2 | 5.47 | 5.12 |
| | Soybean Meal | | | |
| 1016 | 44%. Archer-Daniels-Midland Co., Minneapolis, Minn | Farm No. 2 | 7.33 | 7.04 |
| 1014 | Central Star. Central Soya Co., Inc., Fort Wayne, Ind. | | 7.40 | 7.04 |
| 783 | Glidden 4 Hi. The Glidden | | | |
| | Co., Cnicago, III. | Darien: Ring's End Fuel Co. | 7.07 | 7.04 |

Table 3. Analyses of Superphosphate, ETC.

| Dealer or Furchaser |
|---|
| |
| Suffield: Spencer Bros., Inc 0.78 |
| West Haven: American Agricultural Chemical Co |
| Middletown: Long Lane Farm 0.71 |
| West Haven: American Agricultural Chemical Co. |
| East Windsor: Apothecaries Hall Co 0.25 |
| Greenwich: McArdie's Seed Store 0.47 |
| East Windsor Hill: David Ahern |
| Hamden: Hamden Lehigh Coal Co 0.39 |
| Branford: Collins & Freeman 0.75 |
| Danbury: Barnum Feed Store 0.79 |
| Bridgeport: Berkshire Chemical Co 0.70 |
| East Harftord: Eastern States Farmers Exchange |

¹State purchase.

Table 3. Analyses of Superphosphate, Etc.—(Concluded)

| 1 | 1 | | 1 | 0 | 0 | 9 | 9 | 9 | 0 | 0 | 0 | 00 | 9 | 0 | |
|-----------------|-------------|----------------------------------|-----|--|--|--|---|--|--|--|---|--|--|--|--|
| | able" | Juaranteed | 8 | 47.00 | 16.00 | 20.00 | 16.00 | 20.00 | 20.00 | 20.00 | 20.00 | 20.00 | 38.00 | 38.00 | : |
| ric acid | "Available" | puno | 5 | 46.96 | 16.71 | 20.37 | 16.69 | 20.42 | 20.62 | 21.21 | 20.81 | 19.41 | 39.01 | 35.23 | : |
| Phosphoric acid | | lstol | | 47.40 | 16.92 | 21.38 | 17.10 | 20.62 | 20.99 | 21.69 | 20.88 | 20.11 | 40.32 | 40.80 | 22.40² |
| | əldi | lozni-əterti |)] | 0.44 | 0.21 | 1.01 | 0.41 | 0.20 | 0.37 | 0.48 | 0.02 | 0.70 | 1.31 | 5.57 | : |
| | | Dealer or Purchaser | | South Windsor: I. Stone | Manchester: C. R. Burr & Co | East Hartford: Olds & Whipple, Inc | Portland: The Rogers & Hubbard Co | Portland: The Rogers & Hubbard Co | Niantic: State Farm for Women | Cheshire: Connecticut Reformatory | Newtown: Fairfield State Hospital | North Haven: J. P. Beach | East Windsor: Apothecaries Hall Co | East Hartford: John M. Herr | Niantic: State Farm for Women |
| | | Manufacturer or Wholesale Dealer | | Eastern States 47% Triple. Eastern States Farmers' Exchange, Springfield, Mass | 167. Olds & Whipple, Inc., Hartford, Conn. | O & W 20%. Olds & Whipple, Inc., Hartiord, Conn. | Hubbard's 16%. The Rogers & Hubbard Co., Portland, Com. | Hubbard's 20%. The Rogers & Hubbard Co., Portland, Conn. | Standard 20%. Standard Wholesale Phosphate & Veid Works, Baltimore, Md | Summers "Best on Earth" 20%. Summers Fertilizer Co., Inc., Baltimore, Md | Summers "Best on Earth" 20%. Summers Fertilizer Co., Inc., Baltimore, Md. | Woodruff's 20%. The Woodruff Fertilizer Works, Inc., Orange, Conn. | Precipitated Bone Apothecaries Hall Co., Waterbury, Conn | O & W. Olds & Whipple, Inc., Hartford, Conn. | Natural Phosphate Nin-Coll. Soil Builders, Inc., Dunnellon, Fia. |
| | | .oZ noibst | ; | 526 | 363 | 517 | 758 | 401 | 1969 | 252 | 5341 | 682 | 425 | 735 | 6971 |

"Guaranteed 22% total phosphoric acid.

1State purchase. 20

TABLE 4. ANALYSES OF POTASH SALTS, ETC.

| | | | Pota | sh |
|-------------|--|---|-------|------------|
| Station No. | Manufacturer and Brand | Sampled from stock of | Found | Guaranteed |
| | Muriate of Potash | | % | % |
| 448 | American Agricultural | | ,, | , , |
| | Chemical Co., No. Wey-mouth, Mass | West Haven: American Agricultural Chemical Co. | 50.06 | 50.00 |
| 256¹ | Consolidated Rendering Co., | Cheshire: Connecticut | | |
| 532¹ | Boston, Mass | Reformatory Newtown: Fairfield State | 60.54 | 50.00 |
| 788¹ | Boston, Mass | Hospital Manafald | 58.74 | 50.00 |
| | Boston, Mass | Mansfield Depot: Mansfield State Training School | 59.78 | 50.00 |
| 815 | Eastern States. Eastern States Farmers' Exchange, Springfield, Mass | East Hartford: Eastern States Farmers' Exchange | 60.62 | 60.00 |
| | Sulphate of Potash | | | |
| 427 | Apothecaries Hall Co., Wa- | East Windsor: Apothecaries | 50.15 | 40.00 |
| 524 | terbury, Conn Eastern States. Eastern | Hall Co | 52.15 | 48.00 |
| | States Farmers' Exchange, | C. Windson, I. Stone | 52.08 | 52.00 |
| 737 | Springfield, Mass High Grade. Olds & Whip- ple, Inc., Hartford, Conn | So. Windsor: I. Stone East Hartford: John M. Herr | 49.84 | 48.00 |
| | Cottonhull Ashes ² | | | |
| 392 | Kireal. Ted Alkire, Lub- | East Hartford: Eastern | | |
| | bock, Texas | States Farmers' Exchange | 42.16 | 33.00 |
| 738 | Kireal. Ted Alkire, Lubbock, Texas | East Hartford: John M. Herr | 43.12 | 33.00 |
| 520 | O & W. Olds & Whipple, Inc., Hartford, Conn | So. Windsor: I. Stone | 33.43 | 30.00 |

¹State purchase. ²Old Deerfield Fertilizer Co., unofficial samples, see p. 51.

Table 5. Analyses of Dry Ground Fish, Etc.

| | | Nitro | Nitrogen | Phosphoric acid | horic |
|---|--|-------------|----------------|--------------------|------------------|
| Manufacturer and Wholesale Dealer | Sampled from stock of | bnnoi fatoT | Destranzanteed | banot IstoT | Total guaranteed |
| | å | % | -% | % | % |
| hecaries Hall Co., Waterbury, Conn | Apothecaries Hall Co., Waterbury, Conn, East Windsor: Apothecaries Hall Co | 9.26 | 9.00 | 6.71 | 5.00 |
| Exchange, Springfield, Mass. | Exchange, Springfield, Mass South Windsor: I. Stone | 9.93 | 9.00 | 6.34 | 5.00 |
| O & W. Olds & Whipple, Inc., Hartford, | Wnipple, Inc., Hartford; Olds & Whipple, Inc. | 9.50 | 00.6 | 7.66 | 5.00 |
| Hubbard s. Inc Rogers & Hubbard Co., Portland, Conn | Portland, Conn | 10.04 | 9.46 | 7.06 | 5.00 |

Table 6. Analyses of Tankage and Similar Materials

| nical sis | Coarser than I–50 inch | % 58.2 | 47.0 | : |
|------------------------|-----------------------------------|--|------------------------------|------------------------------|
| Mechanical analysis | Finer than doni 05–1 | % 41.8 | 53.0 | : |
| Phosphoric acid | Total guaranteed | 3.00 | 9.15 | : |
| Phospho | Danoł letoT | % 10.45 | 10.02 | 3.294 |
| gen | Total guaranteed | %8.22 | 7.40 | 00.9 |
| Nitrogen | banoł lstoT | 8.02 | 8.16 | 5.98 |
| | , Sampled from stock of | Manchester: C. R. Burr & Co. | New Haven: L. T. Frisbie Co. | Saugatuck: L. H. Gault & Son |
| | Manufacturer and Wholesale Dealer | Apothecaries Hall Co., Waterbury, Conn | Kendering | waukee, Wis. |
| | Station No. | 364 | 837 | 776 |

1"Available" found 2.62%; guaranteed 2.00%.

Table 7. Analyses of Ground Bone

| X | | | Nitrogen | gen | Phospho acid | Phosphoric acid | Mechanical analysis | nical |
|--|--|--------------------------------------|-------------|------------------|-----------------|--------------------|-------------------------|---------------------------|
| Маш | Manufacturer and Brand | Sampled from stock of | bunot IstoT | Total guaranteed | Total found | Total guaranteed | Finer than 1–50 inch | Coarser than 1-50 inch |
| | | | % | % | % | % | % | % |
| ical Co., No. V | Fine Ground. American Agricultural Chemical Co., No. Weymouth, Mass. | Danbury: Barnum Feed Store | 2.62 | 2.47 | 27.50 | 23.00 | 52.7 | 47.3 |
| Apothecaries Ha | Apothecaries Hall Co., Waterbury, Conn | New Britain: Stanley Svea Coal | 2.84 | 2.25 | 24.24 | 22.00 | 49.6 | 50.4 |
| Apothecaries Ha | Apothecaries Hall Co., Waterbury, Conn | New London: New London Grain Co. | 3.71 | 3.70 | 22.11 | 20.00 | 28.7 | 71.3 |
| Armour's. Arma York, N. Y | Armour's. Armour Fertilizer Works, New York, N. Y. | East Windsor Hill: David J. Ahern | 2.59 | 2.47 | 28.64 | 23.00 | 64.5 | 35.5 |
| Baugh's Pure Steamed. Co., Baltimore, Md | Baugh's Fure Steamed. The Baugh & Sons Co., Baltimore, Md. | Hamden: Hamden Lehigh Coal | 3.03 | 2.47 | 24.93 | 23.00 | 48.0 | 52.0 |
| Baugh's Raw, W & Sons Co., B | Baugh's Raw, Warranted Pure. The Baugh & Sons Co., Baltimore, Md | Hamden: Hamden Lehigh Coal | 4.00 | 3.70 | 21.80 | 20.50 | 37.7 | 62.3 |
| Berkshire Fine ical Co., Bridge | Berkshire Fine Ground. Berkshire Chemical Co., Bridgeport, Conn. | Bridgeport: Berkshire Chemical | 2.18 | 2.05 | 29.20 | 25.00 | 63.6 | 36.4 |
| Corenco Ground. Conso Co. Boston, Mass | Corenco Ground. Consolidated Rendering Co., Boston, Mass. | Danielson: Dayville Grain & Feed Co. | 2.48 | 2.47 | 23.31 | 23.00 | 63.3 | 36.7 |
| Corenco Raw. Con Boston, Mass | Corenco Raw. Consolidated Rendering Co., Boston, Mass. | New Haven: L. T. Frisbie Co. | 3.96 | 3.70 | 22.78 | 20.00 | 29.5 | 70.5 |
| | | | _ | | | _ | _ | |

| 399 Eastern States Ground Steamed. Eastern East Hartford: Eastern States States Farmers' Exchange, Springfield, Farmers' Exchange, Springfield, Farmers' Exchange. East Hartford: East Hartford: Discount. East Hartford: Discount. <th>-</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> | - | | | | | | | | | |
|---|------|--|---------------------------------------|-------|------|-------|-------|------|------|-------|
| G & O Ground. Goulard & Olena, Inc., New York, N. Y | 399 | Eastern States Ground Steamed. Eastern States Farmers' Exchange, Springfield, | East Hartford: Eastern States | | 2 30 | 20 71 | 23.00 | 68.7 | 31.3 | |
| O & W Olds & Whipple, Inc., Hartford, Coun. Hubbard's Fine Ground. The Rogers & Hubbard Co., Portland, Conn. Hubbard's Raw Knuckle Bone Flour. The Rogers & Hubbard Co., Portland, Conn Steamed. Standard Wholesale Phosphate & Acid Works, Inc., Baltimore, Md Sawco. Stumpp & Walter Co., New York, N. Y. Switt & Co. Fertilizer Works, Baltimore, Md. | 674 | G & O Ground. Goulard & Olena, Inc., New York N.Y. | New Britain: Rackliffe Bros., Inc. | 2.48 | 2.40 | 26.54 | 22.75 | 53.6 | 46.4 | |
| Hubbard's Fine Ground. The Rogers & Hubbard's Raw Knuckle Bone Flour. Hubbard's Raw Knuckle Bone Flour. The Rogers & Hubbard Co., Portland, Conn Steamed. Standard Wholesale Phosphate & Acid Works, Inc., Baltimore, Md Sawco. Stumpp & Walter Co., New York, N. Y. Swift & Co. Fertilizer Works, Baltimore, Md. | 513 | | East Hartford: Olds & Whipple, Inc. | 3.32 | 2.47 | 25.77 | 22.00 | 51.3 | 48.7 | |
| | 672 | Hubbard's Fine Ground. The Rogers & Hubbard Co., Portland, Conn. | New Britain: C. W. Lines Co. | 2.48 | 2.47 | 28.64 | 23.00 | 9.99 | 33.4 | |
| Steamed. Standard Wholesale Phosphate & Acid Works, Inc., Baltimore, Md Sawco. Stumpp & Walter Co., New York, N. Y. Swift & Co. Fertilizer Works, Baltimore, Md. | 831 | Hubbard's Raw Knuckle Bone Flour. The Rogers & Hubbard Co., Portland, Conn | Meriden: Church & Morse | 4.12 | 3.70 | 25.20 | 24.70 | 79.0 | 21.0 | |
| Sawco. Stumpp & Walter Co., New York, N. Y. Swift & Co. Fertilizer Works, Baltimore, Md. | 2581 | Steamed. Standard Wholesale Phosphate & Acid Works, Inc., Baltimore, Md | Cheshire: Conn. Reformatory | 2.83² | 2.47 | 20.57 | 23.00 | 53.5 | | 211 |
| Swift & Co. Fertilizer Works, Baltimore, N. Md. | 880 | Sawco. Stumpp & Walter Co., New York, N. Y. | Stamford: Stumpp & Walter Co. | 2.80 | 2.47 | 26.10 | 24.00 | 57.5 | | ruiys |
| | 694 | Swift & Co. Fertilizer Works, Baltimore, Md | New London: Aben Hardware Co | 2.94 | 2.47 | 25.90 | 23.00 | 58.5 | 41.5 | 03 |

¹State purchase. "Nitrogen in ammonia 0.7%.

TABLE 8. ANALYSES OF MIXED FERTILIZER

| | TABLE 8. ANALYSES OF MIXED FER | IILIZER |
|--|--|--|
| Station No. | , Manufacturer and Brand | Place of sampling |
| | The Acme Guano Co., Baltimore, Md. | |
| 543 544 542 980 981 1232 1233 546 541 966 | Acme 3-10-4 Acme 3-12-6 Acme 4-8-4 Acme 4-8-4 Acme Vitaflor 4-8-5 Acme Vitaflor 4-8-5 Acme Vitaflor 4-8-5 Acme 4-8-10 Acme 5-8-7 Acme Plant Food 7-7-7 | Suffield Suffield Suffield Bloomfield Bloomfield Bloomfield Bloomfield Middletown Suffield Bloomfield |
| | American Agricultural Chemical Co., North Weymouth, Mass. | |
| 786 ³ 331 457 378 ³ 460 461 695 ³ 451 453 459 771 770 462 330 877 876 450 458 455 | AA 8-16-8 Fertilizer AA Market Garden Fertilizer 4-8-4 AA Potato and Root Crop Fertilizer 4-8-10 AA Potato and Vegetable Fertilizer 5-8-7 Agrico for Aroostook with 10% Potash 5-8-10 Agrico for Corn 3-10-6 Agrico for Corn 3-10-6 Agrico for Corn 4-12-6 Agrico Country Club 8-6-2 Agrico Country Club Fertilizer 8-6-4 Agrico for Fruit 8-8-4 Agrico for Gardens 4-10-4 Agrico for Lawns, Trees and Shrubs 7-7-5 Agrico for New England 4-8-10 Agrico for Potatoes and Vegetables 5-8-7 Agrico for Seeding Down 4-16-20 Agrico for Tobacco 6-3-6 Agrico for Top Dressing 7-7-7 Agrico for Truck 5-10-5 Bradley's XL Fertilizer 3-10-4 | Mansfield Depot West Haven West Haven Portland West Haven West Haven Wiantic West Haven Greenwich Greenwich Greenwich West Haven |
| 412 420 792 418 416 854 790 791 413 415 | Apothecaries Hall Co., Waterbury, Conn. Liberty Corn Fertilizer 3-12-6 Liberty Green Gro 6-5-3 Liberty High Analysis Fertilizer 8-16-16 Liberty High Grade Corn Fertilizer 4-12-4 Liberty High Grade Market Gardener's 5-8-7 Liberty High Grade Tobacco Manure 7-3-7 Liberty High Grade Vegetable 5-10-10 Liberty Manure Supplement 0-20-10 Liberty Market Gardener's Special 4-8-4 Liberty Potato and General Crops 4-8-10 | East Windsor |

Analyses

Containing Nitrogen, Phosphoric Acid and Potash

| | | Nitrogen | | | Ph | osphoric a | icid | Pota | ash | |
|--|--|--|--|--|--|--|--|---|---|---|
| In nitrates | In ammonia | Organic water-soluble | Organic water-insoluble | Total | Citrate-insoluble | Total | So-called (available) | As muriate | Total | Station No. |
| % | % | % | % | % | % | % | % | % | % | |
| 0.00 0.00 0.00 0.00 0.24 0.00 0.14 0.88 2.04 | 1.98 2.40 2.34 3.06 1.88 0.92 1.72 2.82 2.80 3.10 | 0.67 0.43 0.95 0.69 0.32 0.92 0.41 0.42 1.20 0.58 | 0.53 0.40 0.38 0.16 2.43 2.74 2.50 0.48 0.79 0.89 | 3.18 3.23 3.67 3.91 4.87 4.58 4.63 3.86 5.67 6.61 | 0.94 0.97 0.71 0.41 1.40 1.25 1.65 0.40 0.55 0.30 | 10.59 12.91 8.05 8.85 15.69 11.00 15.50 8.94 8.21 7.86 | 9.65 11.94 7.34 8.44 14.29 9.75 13.85 8.54 7.66 7.56 | 2.83 4.29 2.90 3.46 5.96 5.09 5.09 6.65 4.98 4.81 | 4.40 6.78 4.45 4.57 5.96 7.82 5.86 9.36 7.28 7.22 | 543 544 542 980 981 1232 1233 546 541 966 |
| 0.88 0.59 0.43 0.56 0.58 0.00 0.65 0.55 0.82 0.25 0.47 0.00 0.82 0.25 0.44 0.25 0.44 0.23 | 5.20 2.64 2.94 4.00 3.88 2.52 1.96 2.82 3.06 6.66 6.76 3.00 4.56 3.00 4.50 3.32 0.14 5.76 4.00 2.06 | 0.80 0.22 0.22 0.14 0.14 0.24 0.08 0.32 1.10 0.22 0.36 0.21 0.44 0.44 0.48 0.94 0.06 0.00 0.30 | 0.59 0.47 0.41 0.48 0.41 0.40 0.27 0.40 2.93 0.60 0.50 1.16 1.46 0.43 0.36 0.15 3.76 0.41 0.28 0.33 | 7.47 3.92 4.00 5.46 5.01 3.16 2.96 4.09 7.91 8.00 8.09 4.37 7.28 4.12 5.18 6.07 6.79 4.98 2.97 | 0.74 0.80 0.57 0.52 0.64 1.16 0.65 0.61 0.54 0.95 0.69 0.84 0.82 0.73 0.23 0.63 0.78 | 18.02 8.22 9.00 8.75 8.81 11.45 11.16 13.52 7.32 6.84 9.55 11.60 7.90 9.58 9.43 19.49 4.07 7.70 11.17 10.86 | 17.28 7.42 8.43 8.23 8.17 10.64 10.12 12.36 6.67 6.23 9.01 10.65 7.21 8.74 8.61 18.76 3.84 7.07 10.39 10.00 | 8.00 4.61 10.06 8.49 9.93 5.79 6.14 2.20 3.70 4.35 4.22 5.16 10.09 7.33 17.41 0.27 7.08 5.43 4.48 | 8.00 4.61 10.06 8.49 9.93 5.94 5.79 6.14 2.20 3.70 4.35 4.22 5.16 10.09 7.33 17.41 6.04 7.08 5.43 4.48 | 786 331 457 378 460 461 695 451 454 453 459 771 770 462 330 877 876 450 458 455 |
| 0.47 0.82 0.40 1.90 0.69 1.29 1.23 0.49 0.99 | 1.96 1.72 0.44 1.82 3.48 0.66 3.22 3.00 2.56 | 0.54 1.28 6.64 0.44 0.14 1.72 0.12 0.34 0.16 | 0.57 2.96 0.55 0.56 0.93 3.62 0.75 0.52 0.75 | 3.54 6.78 8.03 4.72 5.24 7.29 5.32 4.35 4.46 | 0.64 0.24 0.26 0.66 0.36 0.35 0.41 0.38 0.26 0.31 | 13.20 6.71 19.20 12.79 8.94 5.00 11.23 18.94 8.59 9.20 | 12.56 6.47 18.94 12.13 8.58 4.65 10.82 18.56 8.33 8.89 | 7.02 4.15 13.04 5.00 7.46 0.43 8.01 11.49 4.01 10.44 | 7.02 4.90 13.04 5.00 7.46 8.02 9.95 11.49 4.01 10.44 | 412 420 792 418 416 854 790 791 413 415 |

TABLE 8. ANALYSES OF MIXED FERTILIZER

| Station No. | Manufacturer and Brand | Place of sampling |
|---|---|---|
| 365 789 856 855 857 417 421 853 | Liberty Special Fertilizer for Fruit and Grass 7-7-7 Liberty Special Fertilizer for Lawns 4-4-0 Liberty Tobacco Mixture 5-3-5 Liberty Tobacco Mixture 6-3-6 Liberty Tobacco Mixture 6-3-7 Liberty Top Dresser for Grass and Grain 8-8-8 Liberty Tree and Shrub Food 10-8-8 Liberty Truck Garden and Onion Fertilizer 5-10-5 | Manchester East Windsor |
| 812 796 794 793 811 808 795 810 859 809 858 | Armour Fertilizer Works, New York, N. Y. Armour's Big Crop Fertilizer 3-12-6 Armour's Big Crop Fertilizer 4-8-4 Armour's Big Crop Fertilizer 4-8-10 Armour's Big Crop Fertilizer 5-8-7 Armour's Big Crop Fertilizer 5-10-5 Armour's Big Crop Fertilizer 5-10-10 Armour's Big Crop Fertilizer 7-7-7 Armour's Big Crop Fertilizer 8-16-20 Armour's Big Crop Tobacco Special 6-3-6 Armour's Fertilizer 8-16-16 Armour's Special Putting Green Mixture 8-5-2 | East Windsor Hill |
| 340 | Associated Seed Growers, Inc., New Haven, Conn. Clark's Tip-Top Fertilizer 5-8-7 F. A. Bartlett Tree Expert Co., Stamford, Conn. | Orange |
| 782 | Bartlett Green Tree Food 6-7-4 The Baugh & Sons Co., Baltimore, Md. | Stamford |
| 826 465 894 823 825 827 | Baugh's Fish Bone and Potash Mixture 4-8-4 Baugh's Old Dependable Potato Grower 4-8-10 Baugh's Old Dependable Potato Grower 4-8-10 Baugh's Perfection Brand 3-10-6 Baugh's Peruvian Guano Substitute 5-8-7 Baugh's Premium Plant Food and Soil Builder 5-10-5 | Hamden Hamden Hamden Hamden Hamden |
| 464 466 | Baugh's Special Top Dresser 7-6-6 | Hamden |

Analyses

Containing Nitrogen, Phosphoric Acid and Potash

| | | Nitrogen | NING IVI | IROGEN, | | osphoric a | icid AND | Pot | ash | |
|--|--|--|--|--|--|---|---|---|---|---|
| In nitrates | In ammonia | Organic water-soluble | Organic water-insoluble | Total | Citrate-insoluble | Total | So-called (available) | As muriate | Total | Station No. |
| % | % | % | % . | % | % | % | % | % | % | |
| 0.33 0.00 1.61 0.40 0.69 0.77 0.41 1.10 | 5.52 0.04 0.08 0.78 0.12 6.14 7.88 3.20 | 0.54 0.51 0.50 1.22 1.88 0.28 0.46 0.24 | 0.75 4.59 3.21 3.88 3.60 0.84 1.06 0.70 | 7.14 5.14 5.40 6.28 6.29 8.03 9.81 5.24 | 0.24 1.74 0.18 0.31 0.38 0.28 0.24 0.41 | 7.67 8.39 5.02 4.75 4.51 8.86 8.81 11.36 | 7.43 6.65 4.84 4.44 4.13 8.58 8.57 10.95 | 6.88 0.29 0.32 0.39 8.31 9.48 5.50 | 7.44 6.52 7.11 8.27 8.31 9.48 5.50 | 365 789 856 855 857 417 421 853 |
| 0.39 0.50 0.53 0.43 0.45 0.58 0.71 0.62 1.26 0.89 0.77 | 2.00 2.96 2.00 3.44 4.00 3.42 5.30 6.82 0.26 6.48 4.70 | 0.20 0.06 0.88 0.50 0.14 0.40 0.18 0.20 1.44 0.04 0.36 | 0.49 0.54 0.68 0.66 0.62 0.72 0.77 0.14 3.29 0.18 2.42 | 3.08 4.06 4.09 5.03 5.21 5.12 6.96 7.78 6.25 7.59 8.25 | 0.81 0.35 0.57 0.58 0.95 0.71 0.30 0.28 0.26 0.37 0.74 | 13.19 8.41 8.58 8.84 11.50 10.77 8.06 16.79 4.42 16.49 6.23 | 12.38 8.06 8.01 8.26 10.55 10.06 7.70 16.51 4.16 16.12 5.49 | 6.27 4.23 9.86 7.05 5.49 10.13 7.05 19.02 0.47 15.36 2.98 | 6.27 4.23 9.86 7.05 5.49 10.13 7.05 19.02 6.44 15.36 2.98 | 812 796 794 793 811 808 795 810 859 809 858 |
| 0.46 | 2.54 | 0.76 | 1.09 | 4.85 | 0.47 | 8.58 | 8.11 | 7.50 | 7.50 | 340 |
| 0.00 | 5.58 | 0.31 | 0.84 | 6.73 | 1.29 | 10.15 | 8.86 | 5.19 | 5.19 | 782 |
| 0.30 0.00 0.00 0.00 0.46 | 2.86 2.86 2.84 2.20 3.46 | 0.66 1.06 0.96 0.76 0.72 | 0.24 0.29 0.20 0.23 0.30 | 4.06 4.21 4.00 3.19 4.94 | 0.60 0.64 0.66 0.91 0.75 | 8.76 8.92 8.89 10.94 9.21 | 8.16 8.28 8.23 10.03 8.46 | 5.82 9.65 9.62 6.57 7.00 | 5.82 9.65 9.62 6.57 7.00 | 826 465 894 823 825 |
| 0.21 3.54 0.00 | 3.62 2.92 3.78 | 0.94 0.64 0.56 | 0.27 0.21 0.39 | 5.04 7.31 4.73 | 0.76 0.52 0.67 | 10.91 6.97 10.72 | 10.15 6.45 10.05 | 5.41 6.33 5.29 | 5.41 6.33 5.29 | *827 464 466 |

TABLE 8. ANALYSES OF MIXED FERTILIZER

| | 1 ABLE 8. ANALYSES OF MIXED FER | TILIZER |
|--|--|--|
| Station No. | Manufacturer and Brand | Place of sampling |
| 336 334 734' 765' 335 536' 733' 255' 480 530' 898 899 254' 763' 482 531' 483 | Berkshire Chemical Co., Bridgeport, Conn. Berkshire Fertilizer 4-8-4 Berkshire Fertilizer 4-8-7 Berkshire Fertilizer 4-8-10 Berkshire Fertilizer 5-8-7 Berkshire Fertilizer 5-8-7 Berkshire Fertilizer 5-8-7 Berkshire Fertilizer 5-8-10 Berkshire Fertilizer 5-8-10 Berkshire Fertilizer 5-10-5 Berkshire Fertilizer 5-10-5 Berkshire Fertilizer 5-10-10 Berkshire Fertilizer 5-10-10 Berkshire Fertilizer 7-6-6 Berkshire Fertilizer 7-6-6 Berkshire Fertilizer 7-6-6 Berkshire Fertilizer 10-6-4 Berkshire Fertilizer 10-6-4 Berkshire Golf Green Fertilizer 8-5-2 Berkshire Grass Special 6-6-5 | Milford Milford Cheshire Middletown Milford Newtown Cheshire Cheshire Simsbury Bridgeport Newtown Bridgeport Bridgeport Cheshire Middletown Bridgeport Newtown Bridgeport Cheshire Middletown Bridgeport Newtown Bridgeport Newtown Bridgeport Newtown Bridgeport Newtown Bridgeport |
| 910 | Connecticut Toro Co., Hartford, Conn. Netco Greens Formula 8-6-2 | Manchester |
| 326 1037 325 324 329 838 376 839 684 ¹ 328 802 | Corenco 3-10-4 Animal Brand Corenco 3-10-4 Animal Brand Corenco 3-10-4 Animal Brand Corenco 4-8-4 Corn and Vegetable Corenco 4-8-7 Market Garden Corenco 4-8-10 Potato Grower Corenco 5-8-7 General Crop Manure Corenco 5-8-10 Peerless Potato Corenco 5-8-10 Peerless Potato Corenco 6-3-6 Special Tobacco Grower Corenco 7-6-6 Complete Fruit and Top Dressing Corenco 7-6-6 Complete Fruit and Top Dressing | New Haven New Haven New Haven New Haven New Haven New Haven Branford New Haven Niantic New Haven New Haven |
| 390 1117 | Corenco 7-7-7 Complete Fruit and Top Dressing | Danielson |
| - | | |

¹State purchase,

Analyses

CONTAINING NITROGEN, PHOSPHORIC ACID AND POTASH

| | | Nitrogen | | | Ph | osphoric a | cid | Pot | ash | |
|--|--|--|--|---|--|---|--|--|---|--|
| In nitrates | In ammonia | Organic water-soluble | Organic water-insoluble | Total | Citrate-insoluble | Total | So-called (available) | As muriate | Total | Station No. |
| % | % | % | % | % | % | % | % | % | % | |
| 0.00 0.00 0.00 0.00 0.00 0.00 0.13 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 2.84 2.80 2.86 2.86 3.64 4.00 3.56 3.96 4.00 3.50 5.76 5.70 7.58 2.06 4.66 | 1.08 0.97 1.09 1.02 0.99 1.16 1.03 1.22 0.97 0.85 1.01 1.64 1.14 1.21 1.27 2.43 2.78 | 0.30 0.24 0.28 0.21 0.19 0.14 0.20 0.24 0.37 0.31 0.29 3.21 0.16 0.20 0.27 0.17 4.11 | 4.22 4.01 4.23 4.09 5.00 4.96 5.13 5.27 5.06 5.30 5.16 4.90 7.18 7.17 7.24 10.18 8.95 5.91 | 0.36 0.50 0.49 0.37 0.21 0.30 0.20 0.49 0.84 0.70 0.65 0.24 0.22 0.08 0.29 0.21 0.19 0.62 0.37 | 8.94 8.56 8.76 8.37 8.16 8.37 7.90 8.78 9.83 10.84 10.56 11.06 3.78 6.80 8.12 7.86 6.30 6.37 7.00 | 8.58 8.06 8.27 8.00 7.95 8.07 7.70 8.29 8.99 10.14 9.91 10.82 3.56 6.72 7.83 7.65 6.11 5.75 | 3.91 7.25 9.75 10.31 7.45 7.40 7.50 10.03 2.28 5.15 5.36 9.01 0.68 6.62 7.46 7.05 4.19 2.13 5.46 | 5.05 7.25 9.75 10.31 7.45 7.40 7.50 10.03 10.17 5.15 5.36 9.90 6.59 6.62 7.46 7.05 4.19 2.13 5.46 | 336 334 765 335 536 733 255 852 480 530 898 899 254 763 482 531 484 483 |
| 0.18 | 4.58 | 0.52 | 2.32 | 7.60 | 0.51 | 7.58 | 7.07 | 2.17 | 2.17 | 910 |
| 0.84 0.81 0.95 0.91 0.97 0.86 0.76 1.04 1.04 0.80 | 1.40 1.52 2.54 2.44 2.52 1.60 3.64 2.58 3.58 0.14 | 0.60 0.76 0.52 0.50 0.48 0.42 0.56 1.08 0.52 2.20 | 0.08 0.06 0.07 0.10 0.06 2.10 0.09 0.22 0.10 3.12 | 2.92 3.15 4.08 3.95 4.03 4.98 5.05 4.92 5.24 6.26 | 0.45 0.50 0.21 0.60 0.36 0.35 0.40 0.31 0.36 0.42 | 9.91 10.58 8.55 8.24 8.21 6.54 8.42 8.91 10.76 4.81 | 9.46 10.08 8.34 7.64 7.85 6.19 8.02 8.60 10.40 4.39 | 4.40 4.44 4.05 7.02 10.31 5.36 7.10 10.21 5.17 0.71 | 4.40 4.44 4.05 7.02 10.31 5.36 7.10 10.21 5.17 6.71 | 326 1037 325 324 329 838 376 839 684 328 |
| 1.10 | 3.68 | 1.88 | 0.07 | 6.73 | 0.21 | 6.77 | 6.56 | 6.18 | 6.18 | 802 |
| 1.16 | 4.92 | 0.94 | 0.08 | 7.10 | 0.11 | 6.60 | 6.49 | 4.92 | 6.27 | 1116 |
| 0.96 | 5.20 | 0.40 | 0.07 | 6.63 | 0.42 | 7.71 | 7.29 | 7.40 | 7.40 | 390 |
| 0.90 | 5.14 | 0.86 | 0.12 | 7.02 | 0.08 | 7.55 | 7.47 | 7.03 | 7.03 | 1117 |

TABLE 8. ANALYSES OF MIXED FERTILIZER

| Station No. | , Manufacturer and Brand | Place of sampling |
|---|---|--|
| | The Davey Tree Expert Co., Kent, Ohio | |
| 886 | Davey Tree Food 12-4-4 | Old Greenwich |
| | Eastern States Farmers' Exchange, Springfield, Mass. | |
| 925 522 395 396 397 803 924 398 393 926 394 | Eastern States 0-20-20 Eastern States 4-16-20 Eastern States 5-10-10 Eastern States 5-15-5 Eastern States 7-7-7 Eastern States 8-4-8 Tobacco Eastern States 8-16-8 Eastern States 8-16-16 Eastern States 8-24-8 Eastern States 10-5-5 Eastern States 10-10-10 | Bethel East Hartford East Hartford East Hartford East Hartford South Windsor Bethel East Hartford East Hartford East Hartford East Hartford Bethel East Hartford |
| 1143 | Thomas W. Emerson Co., Boston, Mass. Emseco All Use Fertilizer 7-7-7 | Branford |
| 768 | General Chemical Co., Mechling Products Division, Camden, N. J. Veget-Aid 5-10-4 | Greenwich |
| | Goulard & Olena, Inc., New York, N. Y. | |
| 676 1118 677 | G & O Lawn, Garden and Flower 5-8-5 G & O Lawn, Garden and Flower 5-8-5 J-B Golf Green 10-4-3 | New Britain |
| | Greenlands Services, Inc., Concord, N. H. | |
| 1121 1120 | Fertilizer for Lawns and Grass 6-8-6 Fertilizer for Rhododendrons 4-6-4 | Hartford Hartford |
| 888 | Killen & Hall, Inc., Darien, Conn. Killen and Hall Tree Food 8-5-2 | Darien |
| 767 | McArdle's Seed Store, Greenwich, Conn. McArdle's Special Fertilizer 6-5-3 | Greenwich |

 $\label{lem:analyses} Analyses$ Containing Nitrogen, Phosphoric Acid and Potash

| | | Nitrogen | | | Pł | osphoric a | ncid | Pot | ash | |
|--|--|--|--|---|--|--|--|---|---|---|
| In nitrates | In ammonia | Organic water-soluble | Organic water-insoluble | Total | Citrate-insoluble | Total | So-called (available) | As muriate | Total . | Station No. |
| % | % | % | % . | % | % | % | % | % | % | |
| 1.13 | 9.94 | 0.18 | 0.95 | 12.20 | 0.31 | 4.91 | 4.60 | 2.65 | 4.00 | 886 |
| 1.15 0.67 0.00 1.43 0.62 1.73 1.06 0.00 2.11 2.12 | 3.00 4.26 3.46 5.22 0.72 6.10 6.92 5.34 7.78 | 0.22 0.32 1.35 0.26 2.58 0.18 0.04 2.46 0.06 0.28 | 0.11 0.21 0.22 0.20 3.37 0.25 0.17 0.20 0.23 | 4.48 5.46 5.03 7.11 8.29 8.26 8.19 8.00 10.18 9.93 | 0.49 0.73 0.50 0.71 0.38 0.41 0.46 0.37 0.25 0.25 | 19.21 15.40 11.00 16.01 8.20 5.74 16.40 16.69 26.19 6.49 11.29 | 18.72 14.67 10.50 15.30 7.82 5.33 15.94 16.32 25.36 6.24 11.04 | 22.83 23.38 10.45 5.33 7.77 0.70 8.46 16.81 8.15 3.55 10.31 | 22.83 23.38 10.45 6.02 7.77 8.76 8.46 16.81 8.15 5.39 10.31 | 925 522 395 396 397 803 924 398 393 926 394 |
| 1.53 | 4.46 | 0.50 | 0.31 | 6.80 | 0.33 | 7.31 | 6.98 | 7.23 | 7.75 | 1143 |
| 0.81 | 4.64 | 0.36 | 0.37 | 6.18 | 0.65 | 11.46 | 10.81 | 0.82 | 4.83 | 768 |
| 0.51 0.77 0.31 | 3.40 3.46 1.64 | 0.16 0.14 1.24 | 0.65 0.58 6.31 | 4.72 4.95 9.50 | 0.75 0.76 1.94 | 7.77 8.96 7.63 | 7.02 8.20 5.69 | 5.21 5.22 3.91 | 5.21 5.22 3.91 | 676 1118 677 |
| 3.78 0.00 | 0.52 1.60 | 0.26 0.31 | 1.86 2.85 | 6.42 4.76 | 0.47 0.39 | 9.15 8.00 | 8.68 7.61 | 6.28 4.78 | 6.28 5.43 | 1121 1120 |
| 0.00 | 2.46 | 2.26 | 3.91 | 8.63 | 0.49 | 6.35 | 5.86 | 1.22 | 2.03 | 888 |
| 0.62 | 1.50 | 1.30 | 3.34 | 6.76 | 0.19 | 6.83 | 6.64 | 3.64 | 4.26 | 767 |

Table 8. Analyses of Mixed Fertilizer

| Station No. | Manufacturer and Brand | Place of sampling |
|---|---|--|
| 897 851 | Old Deerfield Fertilizer Co., Inc., South Deerfield, Mass. Old Deerfield 5-5-15 Tobacco Starter, Bone and Potash Old Deerfield 5-8-7 + 2 (Potash other than Muriate) Olds & Whipple, Inc., | Suffield |
| 515 489 492 494 | Hartford, Conn. O&W 3-10-4 Corn Special Fertilizer | East Hartford East Hartford East Hartford |
| 805 514 512 511 493 379 491 | tilizer O&W 5-10-10 Fertilizer O&W 6-3-5 Blue Label Tobacco Fertilizer (Potash derived from Cottonhull Ashes) O&W 6-3-6 Blue Label Tobacco Fertilizer O&W 6-3-6 Blue Label Tobacco Fertilizer (Potash derived from Cottonhull Ashes) O&W 6-3-7 Special Tobacco Fertilizer O&W 7-6-6 Fertilizer O&W 7-7-7 Top Dressing and Grass Fertilizer | East Hartford East Hartford East Hartford East Hartford East Hartford East Hartford Portland East Hartford |
| 923 | Outpost Nurseries, Inc., Ridgefield, Conn. Outpost Plant Food 8-5-2 Plantspur Products Co., Ridgefield, N. J. Plantspur Fertilizer 3-3-2 | Ridgefield |
| 444 445 | Frank S. Platt Co., New Haven, Conn. Platco 5-8-7 Fertilizer Platt's 10-5-5 Lawn Fertilizer | New Haven New Haven |
| 743 841 400 1039 671 | The Rogers & Hubbard Co., Portland, Conn. Hubbard's All Soils Fertilizer 4-8-4 Hubbard's Climax Tobacco Fertilizer 5-3-5 Hubbard's Corn Fertilizer 4-8-7 Hubbard's Corn Fertilizer 4-8-7 Hubbard's Corn and Grain Fertilizer 3-10-4 | Portland Portland Portland Portland Portland New Britain |

¹State purchase.

Analyses Containing Nitrogen, Phosphoric Acid and Potash

| | Nitrogen | | | Pl | osphoric a | acid | Pot | ash | | |
|-------------|------------|--------------------------|----------------------------|-------|-------------------|-------|--------------------------|------------|-------|-------------|
| In nitrates | In ammonis | Organic water-soluble | Organic water insoluble | Total | Citrate-insoluble | Total | So called (available) | As muriate | Total | Station No. |
| % | % | % | % | % | Sc | ç. | % | ç. | ç, | |
| 0.83 | 0.90 | 2.30 | 1.47 | 5.50 | 0.51 | 7.65 | 7.14 | 1.48 | 15.97 | 897 |
| 0.77 | 1.88 | 1.76 | 0.80 | 5.21 | 0.50 | 10.50 | 10.00 | 1.33 | 8.08 | 851 |
| 0.25 | 2.22 | 0.14 | 0.97 | 3.58 | 0.58 | 11.27 | 10.69 | 4.31 | 4.31 | 51 5 |
| 0.47 | 2.88 | 0.26 | 0.63 | 4.24 | 0.27 | 8.97 | 8.70 | 4.33 | 4.33 | 489 |
| 0.65 | 0.04 | 1.20 | 3.40 | 5.29 | 0.35 | 4.40 | 4.05 | 0.44 | 5.71 | 492 |
| 1.95 | 0.08 | 2.08 | 1.60 | 5.71 | 0.45 | 6.74 | 6.29 | 0.80 | 15.31 | 494 |
| 0.54 | 3.22 | 0.58 | 0.98 | 5.32 | 0.36 | 8.66 | 8.30 | 7.37 | 7.37 | 490 |
| 1.04 | 1.78 | 2.04 | 1.27 | 6.13 | 0.19 | 11.66 | 11.47 | 11.38 | 14.35 | 805 |
| 0.82 | 0.06 | 2.38 | 3.33 | 6.59 | 0.28 | 4.31 | 4.03 | 0.68 | 6.50 | 514 |
| 0.76 | 0.02 | 1.68 | 3.94 | 6.40 | 0.29 | 4.37 | 4.03 | 0.39 | 6.76 | 512 |
| 0.85 | 0.10 | 1.96 | 3.54 | 6.45 | 0.30 | 4.65 | 4.35 | 0.52 | 6.86 | 511 |
| 0.61 | 0.04 | 1.64 | 4.04 | 6.33 | 0.35 | 4.12 | 3.77 | 0.40 | 7.47 | 493 |
| 0.63 | 3.02 | 2.38 | 1.23 | 7.26 | 0.27 | 6.72 | 6.45 | 6.35 | 6.35 | 379 |
| 2.98 | 3.38 | 0.30 | 0.87 | 7.53 | 0.13 | 8.04 | 7.91 | 7.64 | 7.64 | 491 |
| 0.20 | 2.18 | 2.54 | 3.79 | 8.71 | 0.69 | 6.50 | 5.81 | 1.26 | 2.03 | 923 |
| 0.00 | 2.88 | 0.04 | 0.47 | 3.39 | 0.23 | 3.64 | 3.41 | 1.38 | 1.33 | 861 |
| 0.69 | 3.62 | 0.66 | 0.11 | 5.08 | 0.40 | 8.91 | 8.51 | 7.17 | 7.17 | 444 |
| | 4.34 | 3.13 | 2.76 | 10.23 | 0.48 | 6.83 | 6.35 | 5.58 | 5.58 | 445 |
| 0.47 | 1.70 | 1.54 | 0.69 | 4.40 | 0.78 | 8.87 | 8.09 | 4.17 | 4.17 | 743 |
| 0.45 | 0.56 | 1.00 | 3.25 | 5.26 | 0.51 | 3.96 | 3.45 | 0.32 | 5.74 | 841 |
| 0.00 | 2.00 | 0.80 | 1.54 | 4.34 | 0.75 | 9.31 | 8.56 | 7.20 | 7.20 | 400 |
| 0.40 | 1.58 | 1.21 | 1.43 | 4.62 | 0.70 | 9.17 | 8.47 | 8.14 | 8.14 | 1039 |
| 0.49 | 2.12 | 0.20 | 0.77 | 3.58 | 0.80 | 10.91 | 10.11 | 4.72 | 4.72 | 671 |

TABLE 8. ANALYSES OF MINED FERTILIZER

| . Manufacturer and Brand | Place of sampling |
|---|--|
| Hubbard's Fruit Fertilizer 8-8-8 Hubbard's Golf Course Fertilizer 8-6-2 Hubbard's Gro-Fast Fertilizer 5-8-6 Hubbard's High Potash Fertilizer 4-8-10 Hubbard's Mus-Gro 4-14-0 Hubbard's Potato Fertilizer 5-8-7 Hubbard's Seeding Fertilizer Hubbard's Tobacco Grower 6-3-6 Hubbard's Top Dressing Hubbard's Vegetable Manure Red H Brand 4-8-4 Red H Brand 4-8-7 Red H Brand 4-8-10 Red H Brand 5-10-10 Red H Brand 7-6-6 Red H Brand 7-6-6 Red H Brand 7-7-7 Red H Brand 8-16-14 | Portland |
| O. M. Scott & Sons Co., Marysville, Ohio Scott's Turf Builder 10-6-4 | New Britain |
| M. L. Shoemaker Co., Inc., Philadelphia, Pa. Shoemaker's "Swift Sure" 4-10-0 Tobacco Starter | Granby |
| Stumpp & Walter Co., New York, N. Y. Sawco Emerald Grass Fertilizer 5-7-3 Sawco General Garden Fertilizer 5-10-5 Sawco Rose Food 3-4-2 | Stamford |
| Summers Fertilizer Co., Inc., Baltimore, Md. Summer's Fertilizer 8-5-2 | Bridgeport |
| Baltimore, Md. Vigoro 4-12-4 Tennessee Corp., | New Britain |
| Loma (5–10–4) | Greenwich |
| | Hubbard's Fruit Fertilizer 8-8-8 Hubbard's Golf Course Fertilizer 8-6-2 Hubbard's Gro-Fast Fertilizer 5-8-6 Hubbard's High Potash Fertilizer 4-8-10 Hubbard's Mus-Gro 4-14-0 Hubbard's Potato Fertilizer 5-8-7 Hubbard's Tobacco Grower 6-3-6 Hubbard's Top Dressing Hubbard's Vegetable Manure Red H Brand 4-8-4 Red H Brand 4-8-10 Red H Brand 5-8-7 Red H Brand 5-8-7 Red H Brand 5-10-10 Red H Brand 7-7-7 Red H Brand 7-6-6 Red H Brand 8-16-14 O. M. Scott & Sons Co., Marysville, Ohio Scott's Turf Builder 10-6-4 M. L. Shoemaker Co., Inc., Philadelphia, Pa. Shoemaker's "Swift Sure" 4-10-0 Tobacco Starter Stumpp & Walter Co., New York, N. Y. Sawco Emerald Grass Fertilizer 5-7-3 Sawco General Garden Fertilizer 5-10-5 Sawco Rose Food 3-4-2 Summer's Fertilizer 8-5-2 Swift & Co. Fertilizer Works, Baltimore, Md. Vigoro 4-12-4 Tennessee Corp., Lockland, Ohio |

Analyses

Containing Nitrogen, Phosphoric Acid and Potash

| | | Nitrogen | |] | Ph | osphoric a | cid | Pota | ash | |
|--|--|--|--|--|--|---|---|---|---|--|
| In nitrates | In ammonia | Organic water-soluble | Organic water-insoluble | Total |) Citrate-insoluble | Total | So-called (available) | As muriate | Total | Station No. |
| % | % | % | % | % | % | % | % | % | % | |
| 2.23 0.00 0.00 0.87 0.69 0.00 1.01 7.52 0.72 0.48 0.63 0.27 0.58 0.65 0.23 0.45 | 5.54 2.86 2.58 1.66 1.98 1.92 1.32 0.72 0.10 1.84 2.78 2.62 2.58 3.72 3.66 5.92 3.56 5.96 | 0.18 3.20 0.55 1.58 1.22 1.84 0.37 1.34 0.28 1.04 0.66 0.56 0.74 0.68 0.74 0.36 2.20 1.96 | 0.16 2.94 2.37 0.62 1.00 1.22 1.63 3.18 0.44 1.20 0.39 0.49 0.47 0.42 0.53 0.49 0.44 0.20 | 8.11 9.00 5.50 4.73 4.80 5.17 3.32 6.25 8.24 4.80 4.31 4.30 5.40 5.58 7.00 6.65 8.38 | 0.35 0.17 0.24 0.68 4.37 0.47 1.95 0.34 0.60 0.91 0.44 0.40 0.32 0.30 0.15 0.18 | 9.00 7.05 8.92 8.89 16.97 9.07 10.96 4.11 7.39 10.79 9.85 9.37 8.96 8.93 10.78 6.71 8.25 16.32 | 8.65 6.88 8.68 8.21 12.60 8.60 9.01 3.77 6.79 9.88 9.41 8.63 8.56 8.61 10.48 6.56 8.07 16.02 | 6.38 2.15 4.98 9.52 6.92 6.17 0.60 8.17 1.66 4.44 7.04 10.43 7.56 10.64 5.92 6.81 13.36 | 8.12 2.61 6.00 9.52 6.92 6.17 6.39 8.17 9.60 4.44 10.43 7.56 10.64 5.92 6.81 13.36 | 732 744 747 402 1040 381 759 840 746 842 380 1038 384 383 760 745 844 382 |
| 0.10 | 6.16 | 0.62 | 3.40 | 10.28 | 0.15 | 5.95 | 5.80 | 3.39 | 4.44 | 673 |
| 0.77 | 2.26 | 0.16 | 0.75 | 3.94 | 1.87 | 12.50 | 10.63 | | | 833 |
| 0.47 0.79 0.11 | 2.56 4.04 0.26 | 1.02 0.05 0.62 | 1.11 0.37 2.88 | 5.16 5.25 3.87 | 1.42 0.81 4.94 | 8.59 11.25 13.61 | 7.17 10.44 8.67 | 3.36 4.96 2.71 | 3.36 4.96 2.71 | 879 881 885 |
| 0.14 | 3.88 | 3.20 | 1.28 | 8.50 | 0.58 | 5.26 | 4.68 | 1.58 | 2.15 | 487 |
| 0.32 | 3.50 | 0.20 | 0.18 | 4.20 | 0.77 | 12.77 | 12.00 | 4.15 | 4.15 | 678 |
| 0.32 | 3.92 | 0.16 | 0.60 | 5.00 | 0.45 | 10.63 | 10.18 | 4.11 | 4.11 | 781 |

TABLE 8. ANALYSES OF MIXED FERTILIZER

| Station No. | Manufacturer and Brand | Place of sampling |
|---|---|--|
| 446 680 | I. P. Thomas & Son Co., Camden, N. J. I. P. Thomas 3-10-6 I. P. Thomas 5-8-7 | Hamden |
| 333 | F. H. Woodruff & Sons, Inc., Milford, Conn. Gro-Sod Lawn Food 10-6-4 | Milford |
| | Woodruff Fertilizer Works, Inc., Orange, Conn. | |
| 338 819 339 681 337 820 488 | Woodruff's Big Crop Fertilizer 5-8-7 Woodruff's Corn Fertilizer 4-16-4 Woodruff's Double Strength 8-16-16 Woodruff's Market Garden Fertilizer 4-8-4 Woodruff's Top Dresser 7-6-6 Woodruff's 3-10-6 Fertilizer Woodruff's Yankee Special Fertilizer 5-10-5 | Orange Orange Orange North Haven Orange Orange Orange Orange |

Analyses

CONTAINING NITROGEN, PHOSPHORIC ACID AND POTASH

| | | Nitrogen | | | Pl | osphoric a | acid | Pota | ash | |
|--|--|--|--|--|--|--|--|---|---|---|
| In nitrates | In ammonia | Organie water-soluble | Organic water-insoluble | Total | Citrate-insoluble | Total | So-called (available) | As muriate | Total | Station No. |
| % | % | % | % | % | % | % | % | % | % | |
| 0.18 0.36 | 1.88 3.78 | 1.06 0.44 | 0.31 0.42 | 3.43 5.00 | 1.24 0.68 | 10.89 8.68 | 9.65 8.00 | 6.32 7.16 | 6.32 7.16 | 446 680 |
| 0.20 | 5.16 | 3.26 | 1.80 | 10.42 | 0.24 | 6.34 | 6.10 | 4.31 | 4.31 | 333 |
| 0.74 1.12 0.00 0.65 0.93 0.00 0.64 | 2.46 2.26 3.04 2.46 4.46 2.30 2.92 | 0.56 0.14 4.33 0.20 0.46 0.15 0.34 | 1.06 0.65 0.63 0.68 0.71 0.65 1.12 | 4.82 4.17 8.00 3.99 6.56 3.10 5.02 | 0.52 0.85 0.68 0.51 0.33 0.76 0.66 | 8.49 17.16 16.74 8.60 6.16 11.09 10.84 | 7.97 16.31 16.06 8.09 5.83 10.33 10.18 | 7.09 4.18 15.78 4.33 7.08 6.59 5.73 | 7.09 4.18 15.78 4.33 7.08 6.59 5.73 | 338 819 339 681 337 820 488 |

TABLE 8a. CHEMICAL DEFICIENCIES

| | S | nties | Deficiencies in | | | | |
|--|--|---|---|---|---|--|--|
| Manufacturer or Dealer | Number of samples | Number of guaranties | Nitrogen | Available P ₂ O ₅ | Potash | Total | |
| Acme Guano Co., The American Agricultural Chemical Co. Apothecaries Hall Co. Armour Fertilizer Works Associated Seed Growers, Inc. Bartlett, F. A., Tree Expert Co., Inc. Baugh & Sons Co., The Berkshire Chemical Co. Connecticut Toro Co. Consolidated Rendering Co. Davey Tree Expert Co., The Eastern States Farmers' Exchange. Emerson, Thos. W., Co. General Chemical Co., Mechling Products Div. Goulard & Olena, Inc. Greenlands Services, Inc. Killan & Hall, Inc. McArdle's Seed Store Old Deerfield Fertilizer Co., Inc. Olds & Whipple, Inc. Outpost Nurseries, Inc. Plantspur Products Co. Platt, Frank S., Co. Rogers & Hubbard Co., The Scott, O. M. & Sons Co. Shoemaker, M. L. Co. Stumpp & Walter Co. Summers Fertilizer Co., Inc. Swift & Co., Fertilizer Works Tennessee Corp. Thomas, I. P., & Son Co. Woodruff, F. H., & Sons, Inc. Woodruff Fertilizer Works, Inc., The | 10 20 18 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 30 60 53 33 3 24 57 3 42 3 3 3 3 6 3 6 6 3 3 3 6 6 9 3 3 3 6 6 9 3 6 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 | 3 2 1 2 1 1 0 0 1 1 1 1 2 0 0 0 0 0 0 0 0 | 3 1 1 0 0 0 0 0 1 0 2 0 0 2 0 0 0 0 0 0 0 | 1 3 1 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 7 6 3 4 1 0 3 3 3 1 4 4 0 2 1 0 3 3 0 0 0 0 0 1 0 6 0 0 0 1 0 0 1 0 0 3 50 | |

Table 9. Analyses of Special and Home Mixtures

| | Station No. | | 1013 | 107 | 108 | 9666 | 2666 | 109 | 435 | 436 | 438 | 439 | 44 | 442 | 443 | 214 |
|-----------------|-------------------------|------------------------------|--------------------------|--------|------------------------------|-----------------------------------|--------------------------------------|--|--------------------|------------------------------------|--------------------|---|------|-------------------------------|------------------------------------|------------------------------|
| | Chlorine | % | 0.44 | 0.36 | 0.34 | 0.23 | 0.26 | 0.26 | 0.35 | 0.49 | 0.53 | 0.36 | 0.42 | 0.44 | 0.19 | 0.51 |
| Potash | - IstoT | % | 7.21 | , 8.29 | 6.78 | 7.93 | 6.77 | 6.49 | 6.22 | 5.97 | 7.79 | 6.41 | 5.03 | 6.33 | 1.54 | 6.23 |
| | As muriate | % | 0.58 | 0.48 | 0.45 | 0.31 | 0.35 | 0.35 | 0.47 | 0.05 | 0.70 | 0.48 | 0.50 | 0.58 | 0.25 | 0.68 |
| cid | So-called (aldalisva) | . % | 3.78 | 3.42 | 3.58 | 3.50 | 3.37 | 3.22 | 3.04 | 3.01 | 3.91 | 3.15 | 3.15 | 3.08 | 3.91 | 4.12 |
| Phosphoric acid | IstoT | % | 4.14 | 3.70 | 3.83 | 3.90 | 3.95 | 3.55 | 3.29 | 25.82 25.72 | 4.31 | 3.43 | 3.63 | 3.29 | 4.26 | 4.41 |
| Pho | Citrate-insoluble | % | 0.36 | 0.28 | 0.25 | 0.40 | 0.58 | 0.33 | 0.25 | 0.21 | 0.40 | 0.28 | 0.25 | 0.21 | 0.35 | 0.29 |
| | Total nitrogen | % | 5.90 | 5.59 | 5.65 | 0.0 | 00.9 | 6.11 | 5.92 | 5.75 6.25 | 6.03 | 5.78 | 5.76 | 5.88 | 69.2 | 4.72 |
| Phos | Sampled or submitted by | Bloomfield: American Sumatra | | Corp | Consolidated Cigar | mainord: Consolidated Cigar Corp. | Hartford: Consolidated Cigar Corp. | Hartford: Consolidated Cigar Corp. | Consolidated Cigar | Hartford: Consolidated Cigar Corp. | Consolidated Cigar | Hartford: Consolidated Cigar Corp. | _ | Cigar | Hartford: Consolidated Cigar Corp. | Simsbury: Cullman Bros., Inc |
| | Name of Mixture | Fertilizer Sample X | Formula C-Welch Division | j | Fertilizer 1941 Formula A HU | 1941 Formula A | 1940 AFertilizer 1941 Formula B with | 1940 B PFertilizer Formula B Gn. Cono. | | Formula B | < 4 | Fertilizer Formula B M 1941 Fertilizer Formula A De 1041 | B; | Fertilizer Formula B Dee 1941 | Fertilizer Formula C M 1941 | • |
| | Station No. | 1013 | 107 | 108 | 9995 | 9997 | 109 | 435 | 436 | 437 | 438 | 439 | 441 | 442 | 214 | |

Table 9. Analyses of Special and Home Mixtures—Continued

| | Station No. | | 230 | 231 | 232 | 233 | 234 | 347 | 348 | 349 | 350 | 351 | 352 | 353 |
|-----------------|--------------------------|----|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|--------------------------------------|
| | СһІотіве | 2% | 0.93 | 0.81 | 0.20 | 0.52 | 0.39 | 1.03 | 0.75 | 0.75 | 0.56 | 0.70 | 0.53 | 0.59 |
| Potash | Total , | % | 10.64 | 8.53 | 1.24 | 5.31 | 6.40 | 12.36 | 8.74 | 8.38 | 6.72 | 8.25 | 6.36 | 6.59 |
| | As muriate | % | 1.24 | 1.08 | 0.27 | 69.0 | 0.52 | 1.37 | 1.00 | 1.00 | 0.74 | 0.93 | 0.70 | 0.78 |
| cid | So-called (available) | % | 5.74 | 4.44 | 18.04 | 5.89 | 3.27 | 3.87 | 4.70 | 4.17 | 4.53 | 5.85 | 6.49 | 4.91 |
| Phosphoric acid | Total | % | 6.07 | 4.78 | 18.31 | 60.9 | 4.11 | 4.15 | 4.96 | 4.33 | 4.83 | 6.11 | 6.83 | 5.12 |
| Pho | oldulozni-ətstti) | % | 0.33 | 0.34 | 0.27 | 0.20 | 0.84 | 0.28 | 0.26 | 0.16 | 0.30 | 0.26 | 0.34 | 0.21 |
| | Totsl nitrogen | % | 4.28 | 5.00 | 4.24 | 5.92 | 6.57 | 3.88 | 4.37 | 5.00 | 4.94 | 4.88 | 5.10 | 5.43 |
| | Sampled or submitted by | | Simsbury: Cullman Bros., Inc | Simsbury: Cullman Bros., Inc. | Simsbury: Cullman Bros., Inc |
| | Name of Mixture | _ | i Fertilizer | Mixed rettinzer | | | | | - i- | - · · | | _ :. | | Home Mixed Fertilizer Formula 5-5-41 |
| - | Station Ko. | 0 | 230 | 231 | 232 | 233 | 234 | 347 | 348 | 349 | | | | 353 |

| | 354 | 355 | 603 | 604 | 605 | 909 | 209 | 809 | 609 | 610 | 611 | 612 |
|---|--|-----------------------------------|------------------------------------|--------------------------|-----------------------------------|------------|-----------------------------------|-----------------------------------|-----------------------------------|--------------------------|-----------------------------------|---------------------------------------|
| | 0.24 | 0.34 | 0.54 | 0.64 | 99.0 | 0.49 | 89.0 | 0.35 | 0.51 | 0.45 | 0.51 | 0.30 |
| | 4.78 | 5,22 | 7.67 | 5.35 | 9.11 | 6.14 | 6.18 | 4.78 | 6.18 | 5.84 | 4.95 | 6.22 0.30 |
| | 0.32 | 0.45 | 0.72 | 0.85 | 0.88 | 0.65 | 06.0 | 0.47 | 89.0 | 09.0 | 89.0 | 0.40 |
| | 3.93 | 4.94 | 6.11 | 4.94 | 4.94 | 4.91 | 5.69 | 4.07 | 3.79 | 3.97 | 5.78 | 4.71 |
| 0 | 4.14 | 5.22 | 6.44 | 5.21 | 5.26 | 5.20 | 00.9 | 4.35 | 4.04 | 4.22 | 6.04 | 4.96 |
| | 0.21 | 0.28 | 0.33 | 0.27 | 0.32 | 0.29 | 0.31 | 0.28 | 0.25 | 0.25 | 0.26 | 5.64 0.25 |
| | 6.53 | 5.46 | 5.27 | 4.65 | 5.16 | 5.09 | 5.35 | 5.84 | 6.11 | 6.19 | 4.94 | |
| | Home Mixed Fertilizer Formula Simsbury: Cullman Bros., Inc | 1.41 Simsbury: Cullman Bros., Inc | 22-41 Simsbury: Cullman Bros., Inc | Mixed Fertilizer Formula | 3-41 Simsbury: Cullman Bros., Inc | 2-HAL-3-41 | 1-41 Simsbury: Cullman Bros., Inc | 6-41 Simsbury: Cullman Bros., Inc | 7-41 Simsbury: Cullman Bros., Inc | Wixed Rertilizer Formula | 4-41 Simsbury: Cullman Bros., Inc | 1-A-5-41 Simsbury: Cullman Bros., Inc |
| | 354 Hon 4–3 355 Hon | | | | | | | | | | | |

Table 9. Analyses of Special and Home Mixtures-Continued

| | Station No. | | 613 | 616 | 617 | 630 | 631 | 632 | 633 | 634 | 722 | 723 | 724 | 725 |
|--------------|--------------------------|---|-------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---|
| | Chlorine | % | 0.32 | 0.42 | 0.39 | 0.18 | 0.18 | 0.15 | 0.20 | 0.27 | 0.35 | 0.53 | 0.38 | 0.24 |
| Potash | Total | % | 6.25 | 99.9 | 6.88 | 29.9 | 7.58 | 5.74 | 8.64 | 7.47 | 5.74 | 7.00 | 5.58 | 3.44 |
| | As muriate | % | 0.43 | 0.56 | 0.52 | 0.24 | 0.24 | 0.20 | 0.27 | 0.36 | 0.47 | 0.70 | 0.51 | 0.32 |
| acid | So-called (available) | % | 7.04 | 5.53 | 4.50 | 4.25 | 4.74 | 4.95 | 6.07 | 4.49 | 5.36 | 4.60 | 5.45 | 3.98 |
| Phosphoric a | IstoT | % | 7.32 | 5.79 | 4.76 | 4.52 | 5.03 | 5.15 | 6.41 | 4.69 | 5.72 | 4.88 | 5.80 | 4.26 |
| Pho | Citrate-insoluble | % | 0.28 | 0.26 | 0.26 | 0.27 | 0.29 | 0.20 | 0.34 | 0.20 | 0.36 | 0.28 | 0.35 | 0.28 |
| | Total nitrogen | % | 4.73 | 4.59 | 4.71 | 6.17 | 4.69 | 5.34 | 4.72 | 5.20 | 5.32 | 4.91 | 5.37 | 5.55 |
| | Sampled or submitted by | | Simsbury: Cullman Bros., Inc. | Simsbury: Cullman Bros., Inc | Simsbury: Cullman Bros., Inc | Simsbury: Cullman Bros., Inc | Simsbury: Cullman Bros., Inc | Simsbury: Cullman Bros., Inc | Simsbury: Cullman Bros., Inc | Simsbury: Cullman Bros., Inc. | Simsbury: Cullman Bros., Inc. |
| | Name of Mixture | | rermizer | rerunzer | i Fertilizer | Fertilizer | Home Mixed Fertilizer Formula | : · | ㅠ듀- | - · · | | | xed 1 | Home Mixed Fertilizer Formula 1-MC-1-41 |
| | Station No. | | 613 | 010 | 617 | 030 | 631 | 632 | 633 | 634 | 722 | 723 | 724 | 725 |

| | 860 | 615 | 614 | | 757 | 296 | 896 | 696 | | 369 | | 3/0 | 371 | | 372 | | | 373 |
|-------------------------------|------------------------------|------------------------------|--|-----------------------------|------------------------------|--------------------------------------|---------------------|-----------------------------|--------------------------------|---------------------------------|--------------------------------|---------------------------------|---------------------------------|--------------------------------|---------------------------------|------------------------------|----------------------------|---------------------------------|
| | 5.67 0.47 | 7.90 0.42 | 0.30 | | 0.47 | : | | : | | 0.53 | 1 | 0.57 | 0.54 | | 0.50 | | | 0.51 |
| | | 7.90 | 0.40 11.56 0.30 | | 10.85 | 11.63 | 10.94 | 9.91 | | 6.43 | , | 0.0/ | 6.32 | | 6.61 | | | 6.47 |
| | 0.62 | 0.56 | 0.40 | | 0.62 | 11.63 | 10.94 | 9.91 | | 0.70 | 1 | 0.70 | 0.72 | | 99.0 | | | 0.68 |
| | 4.00 | 9.81 | 9.12 | · | 00.6 | 11.54 | 11.90 | 11.83 | | 4.57 | 1 | 4.4/ | 4.69 | | 4.63 | | | 4.96 |
| | 4.23 | 10.31 | 9.44 | | 9.15 | 11.86 | 12.25 | 12.16 | | 4.78 | 0 | 4.80 | 4.87 | | 4.88 | | | 5.17 |
| | 5.52 0.23 | 0.50 | 5.48 0.32 | | 0.15 | 0.32 | 0.35 | 0.33 | | 0.21 | 0 | 0.33 | 0.18 | | 0.25 | | | 0.21 |
| | 5.52 | 5.50 | 5.48 | | 5.4 | 6.61 | 6.53 | 7.11 | | 6.35 | , | 0.32 | 6.26 | | 6.31 | | | 6.19 |
| | Simsbury: Cullman Bros., Inc | Simsbury: Cullman Bros., Inc | Simsbury: Cullman Bros., Inc | | Simsbury: Cullman Bros., Inc | Fertilizer No. 1 Marion: Daigle Bros | Marion: Daigle Bros | Marion: Daigle Bros | i | Hartford: L. B. Haas & Co., Inc | | Hartiord: L. b. Haas & Co., Inc | Hartford: L. B. Haas & Co., Inc | | Hartford: L. B. Haas & Co., Inc | Mixed Fertilizer (with Lime) | | Hartford: L. B. Haas & Co., Inc |
| Home Mixed Fertilizer Formula | 3-H-3-41 | tilizer Co., Inc | Sulphate of Potash (Apothecaries Hall) | Sulphate of Potash (Apothe- | caries Hall) | Home Mixed Fertilizer No. 1 | | Home Mixed Fertilizer No. 3 | Mixed Fertilizer, Formula 41-B | No. 31 Hazardville Farm | Mixed Fertilizer, Formula 41-A | No. 32 Hazardville Farm | No. 33 Hazardville Farm | Mixed Fertilizer, Formula 41-A | No. 34 Hazardville Farm | Mixed Fertilizer (with Lime) | No. 35 - Huntington Bros., | Windsor, Conn |
| 860 | 615 | | | | | _ | 896 | _ | _ | _ | 370 | | 3/1 | 372 | | 373 | | |

¹Sampled by Station Agent.

Table 9. Analyses of Special and Home Mixtures—(Concluded)

| | Station No. | | 374 8769 637 | 164 | 165 | 166 | 638 | 639 | 8 |
|-----------------|--------------------------|---|---|---------------------------------------|--|------------------------------------|----------------------------------|----------------------------------|---------------------|
| | СһІотіпе | % | 0.54 | 0.28 | 0.35 | 0.48 | 0.23 | 0.23 | 0.41 |
| Potash | Tetel | % | 6.71 | 7.93 | 7.06 | 6.42 | 6.99 | 6.51 | 8.77. |
| | əlsinum eA. | % | 0.72 | 0.37 | 0.47 | 0.64 | 0.31 | 0.31 | 0.54 |
| cid | So-called (available) | % | 5.41 | 3.66 | 3.33 | 3.53 | 3.55 | 3.64 | 5.68 |
| Phosphoric acid | Total | % | 5.66 | 3.91 | 3.58 | 3.74 | 3.75 | 3.90 | 6.03 |
| Pho | Citrate-insoluble | % | 0.25 | 0.25 | 0.25 | 0.21 | 0.20 | 0.26 | 0.35 |
| | negoriin letoT | % | 6.53 5.86 7.00 | 6.12 | 0.00 | 6.10 | 90.9 | 5.95 | 8.50 |
| | Sampled or submitted by | | Hartford: L. B. Haas & Co., Inc So. Windsor: Leslie W. Newberry | Hartford: Silberman & Kahn Corp. | Hartford: Silberman & Kahn Corp. | Hartford: Silberman & Kahn Corp. | Hartford: Silberman & Kahn Corp. | Hartford: Silberman & Kahn Corp. | |
| | Name of Mixture | | Mixed Fertilizer No. 36—Huntington Bros., Windsor, Conn. Fertilizer Mixture | Fertilizer, 1941 Formula A.— 2nd P | Fertilizer, 1941 Formula—B. P. Fertilizer, 1941 Formula — B.H. | B+C Home Mixed Fertilizer, 1941 | 1 | 1 [2 | (Apothecaries Hall) |
| | Station No. | | | 164 | 165 166 | 638 | 639 | - | - |

¹Calcium (CaO) 6.65%; magnesium (MgO) 3.82%.

Table 10. Analyses of Sheep Manure, ETC.

| | | | Nitrogen | gen | Total phosphoric acid | al horic d | Potash | qst | |
|-------------|---|--|----------|------------|-----------------------------|------------------|-----------------|------------|-------------|
| Station No. | Manufacturer and Brand | Place of sampling | рипод | Guaranteed | Pound | Guaranteed | Found | Guaranteed | Station No. |
| 449 | Pulverized Sheep and Goat Manure. American Agricultural Chemical Co., | Sheep and Goat Manure. West Haven: American Agricultural Chemical Co. Chemica | % 1.36 | % 1.25 | % 1.91 | % 1.00 | 2.79 | 2.00 | 449 |
| 429 | | Ħ | 1.88 | 1.00 | 1.39 | 0.50 | 3.59 | 1.00 | 429 |
| 807 | | Fast Windsor Hill David I. Ahern | 1 44 | 7.5 | 2.21 | 1 00 | - γ. α γ. | 2 00 | 708 |
| 921 | Driconure. Atkins & Durbrow, Inc., New York, N. Y. | New Canaan: Clapboard Hill Co | 2.22 | 2.00 | 3.03 | | 1.39 | 1.00 | 921 |
| 539 | | Danburv: Benjamin Grain Co | 1.43 | 1.25 | 2.54 | 1.00 | 3.10 | 2.00 | 539 |
| 377 | Corenco Sheep Manure. Consolidated Rendering Co., Boston, Mass. | | 1.83 | 1.25 | 1.50 | 1.00 | 2.97 | 2.00 | 377 |
| 887 | (A) | Old Greenwich: The Davey Tree Expert Co. | 2.28 | 1.00 | 2.44 | 61 | 2.26 | 2.00 | 887 |
| 675 | sep Manure. Goulard & New York, N. Y. | New Britain: Rackliffe Bros., Inc | 2.00 | 1.00 | 3.76 | 63 | 3.62 | 2.00 | 675 |
| 692 | Wizard Brand Cow Manure. The Pulverized Manure Co., Chicago, III. | Ind Cow Manure. The Manure Co., Chicago, III. New London: Aben Hardware Co. | 2.20 | 2.00 | 1.53 | *: | 2.20 | 1.00 | 692 |
| | | | | | | | | | |

⁴Guaranteed "available" phosphoric acid 1.00%; found 2.75%. ²Guaranteed "available" phosphoric acid 1.00%; found 2.17%. ³Guaranteed "available" phosphoric acid 1.00%; found 2.53%. ⁴Guaranteed "available" phosphoric acid 1.00%; found 1.22%. ⁴Guaranteed "available" phosphoric acid 1.00%; found 1.22%.

Table 10. Analyses of Sheep Manure, Etc.— (Concluded)

| | | , | Nitr | Nitrogen | Total phosphoric acid | tal horic | Potash | ash | |
|--|------------------|---|-------------|------------|-----------------------------|--------------|--------|------------|-------------|
| Manufacturer and Brand | | Place of sampling | Pound | Guaranteed | Found | Guaranteed | Found | Guaranteed | Station No. |
| Wizard Brand Pulverized Sheep Manure, The Pulverized Manure | | | % | % | % | 2% | % | % | |
| III. | * 1 | New London: Aben Hardware Co. | 2.05 | 2.00 | 1.85 | 10 | 3.13 | 2.00 | 693 |
| The Rogers & Hubbard Co., Port- Fland, Conn. | 1 | & Hubbard Co., Portland: The Rogers & Hubbard Co. | 1.61 | 1.25 | 2.30 | 1.00 | 3.70 | 2.00 | 742 |
| le Manure. Stumpp & New York, N. Y. | | Stamford: Stumpp & Walter Co | 2.24 | 1.80 | 2.20 | 1.00 | 1.78 | 1.00 | 884 |
| Sawconure, Stumpp & Walter Co., New York, N. Y | $\tilde{\Omega}$ | Stamford: Stumpp & Walter Co | 2.48 | 3.00 | 2.72 | ° . | 1.30 | 1.00 | 882 |
| & Walter Co., New York, | | Stamford: Stumpp & Walter Co | 2.50 | 2.00 | 1.59 | | 2.53 | 2.00 | 883 |
| Vorks, Baltimore, Md | | New London: G. M. Williams | 2.10 | 1.85 | 1.60 | 1.00 | 3.10 | 1.75 | 069 |
| Walker-Gordon Laboratory Co., Inc., Plainsboro, N. J. | | don Laboratory Co., Inc., N. J | 2.06 2.00 | .2.00 | 2.58 | 2.00 | 2.40 | 2.00 | 691 |

⁶Guaranteed "available" phosphoric acid 1.00%; found 1.58%.

⁶Guaranteed "available" phosphoric acid 1.00%; found 2.49%.

⁷Guaranteed "available" phosphoric acid 1.00%; found 1.37%.

Table 11. Analyses of Limestone and Similar Materials

| | | .oN noitst2 | | 253 | 741 | 346 | | | 8397 | 957 | 958 | 959 |
|-------------------|----------------|-------------------------------------|--------------------------|--|---|---|--------------------------------------|--|---|---|---|--|
| nical | ysis | 100 mesh | % | 41.0 | 95.0 | 45.8 | | | 78.6 | : | : | : |
| Mechanical | analysis | 20 тезћ | % | 94.5 | 100.0 | 100.0 | | | 100.0 | 100.0 | 100.0 | 100.0 |
| | | Total oxides | % | 51.34 | 52.14 | 51.41 | | | 52.22 | 52.08 | 52.03 | 52.29 |
| | a (MgO) | Guaranteed | % | : | 21.00 | 20.00 | - | | 20.00 | 21.50 | 21.50 | 21.50 |
| Chemical analysis | Magnesia (MgO) | БпиоЭ | % | 0.99 | 21.54 | 20.97 | | | 21.89 | 21.76 | 21.71 | 21.92 |
| Chemica | (CaO) | Guaranteed | % | : | 30.00 | 30.00 | | | 30.00 | 30.30 | 30.30 | 30.30 |
| | Lime (CaO) | Found | % | 50.35 | 30.60 | 30.44 | | | 30.33 | 30.32 | 30.32 | 30.37 30.30 |
| | | Sampled from stock of or sent by | | Cheshire: Connecticut Reformatory | East Hartford: John M. Herr 30.60 | Manchester: C. R. Burr & Co 30.44 | | | Hartford: Agricultural Conservation Program | Hartford: Agricultural Conservation Program | Hartford: Agricultural Conservation Program | Hartford: Agricultural Conservation Program |
| | | Manufacturer and Brand | Sampled by Station Agent | Coe Lime Works, Durham, Conn. Agricultural Limestone | New England Lime Co., Adams, Mass. Agricultural Limestone | U. S. Gypsum Co., Falls Village, Conn. Agricultural Limestone | Sampled by purchaser or manufacturer | American Limestone Quarry Corp., Wingdale, N. Y. | Ground Limestone | Ground Limestone | Ground Limestone | Ground Limestone |
| | | Station No. | | 253 | 741 | 346 | | | | | 958 | 926 |

Table 11. Analyses of Limestone and Similar Materials—Continued

| | | | | | | | <i>I</i> | | | | | | | | | | | |
|-------------------|----------------|----------------------------------|-----------------|-------------------|------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|------------------------|-------------------------------------|-------------------------------------|---------|--|-------------------------------------|------------------|------------------------------|-----------------------------|-----------------|
| | | .oN noitst8 | | 8731 818 | | 629 | 954 | 062 | 306 | 6 | 8390 | 006 | 901 | 905 | | 9778 | | 9749 |
| nical | SIS | 100 mesh | % | 53.6 44.0 | | 82 | | | : | , | 7.00 | : | : | | | | : | : |
| Mechanical | analysis | go mesh | % | 97.3 | | 6 66 | 100.0 | | : | | 93.7 | 95.5 | 95.5 | 92.0 | | | : | _ : |
| | | Total oxides | % | 50.22 49.56 | | 48 49 | 49.85 | 70 | 07.00 | 1 | 43.53 | 48.30 | 47.16 | 45.49 | | 75 04 | 10.01 | 79.51 |
| Ì | (MgO) | Guaranteed | % | : : | | | 21.00 | 21 00 | 00.12 | | 00.9 | 00.9 | 00.9 | 6.00 | | | : | |
| Chemical analysis | Magnesia (MgO) | puno4 | % | 0.83 | | 10 88 | 20.47 | 0000 | 70.07 | | 9.14 | 5.49 | 4.62 | 7 14 | | 30.20 | 07.00 | 32.88 |
| Chemical | | Guaranteed | % | : : | | | 30 00 | | 30.00 | | 44.00 | 42.00 | 42.00 | 42.00 | i | | : | _: _: |
| | Lime (CaO) | punoJ | % | 49.39 | | 28.61 | 20.07 | | 29.62 | | 34.39 | 42.81 | 42.54 | 38.35 | | 77 77 | 47.04 | 46.63 |
| | | Sampled from stock of or sent by | | Durham: R. S. Coe | | Hartford: Agricultural Conservation | Hartford: Agricultural Conservation | Hartford: Agricultural Conservation | Frogram | Hartford: Agricultural Conservation | Hantford: Agricultural Conservation | Program | Harttord: Agricultural Conservation Program | Hartford: Agricultural Conservation | | Bloomfield: American Sumatra | Diamegala, Amonican Cumetra | Tobacco Corp |
| | | Manufacturer and Brand | Coe Lime Works, | Linestone | Conklin Lime Co., Canaan, Conn. | Lime | Ground Limestone | Ground Limestone | Connecticut Agstone Co | Danbury, Conn. Ground Limestone | Ground I impertance | | Ground Limestone | Ground Limestone | Hitchcock Bros., | Hydrated Lime | Hardustod I imo | 11) dialed Line |
| | | .oN noite12 | | 8731 818 | | 629 | 954 | 796 | | 8396 | 000 | | 06 | 206 | | 8776 | 0770 | 1 51/6 |

| 9796 9797 9900 9899. | | 956 | 096 | 961 | 8395 | | | 7701 | 7702 |
|--|---|---|---|---|--|-------------------------------------|----------------------------------|--|--|
| :::: | 5 | ; ; | : | : | 36.6 | : ; | 51.3 | : | : |
| | | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | : | : |
| 80.40 80.40 73.88 81.88 | | 52.18 | 52.08 | 50.78 | 52.14 | | 51.98 | 54.76 | 54.43 |
| 0.50 | | 21.00 | 21.00 | 21.00 | 20.00 | 21.00 | : | : | : |
| 33.07 33.32 0.81 33.93 | | 21.60 | 21.56 | 20.96 | 20.92 | 21.02 | 21.98 | 0.51 | 0.43 |
| 70.00 | 9 | 30.00 | 30.00 | 30.00 | 30.00 | 30.00 | : | | : |
| 47.33 47.08 73.07 47.95 | 200 | 30.58 | 30.52 | 29.82 | 31.22 | 32.10 | 30.00 | 54.25 | 54.00 |
| Simsbury: Cullman Bros., Inc Simsbury: Cullman Bros., Inc Simsbury: Cullman Bros., Inc Simsbury: Cullman Bros., Inc | Hartford: Agricultural Conservation | Frogram Hartford: Agricultural Conservation Program | Hartford: Agricultural Conservation Program | Hartford: Agricultural Conservation Program | Hartford: Agricultural Conservation Program | Hartford: Agricultural Conservation | , Falls Village: U. S. Gypsum Co | Hartford: Central Connecticut Co-op. Farmers Asso., Inc. | Hartford: Central Connecticut Co-op. Farmers Asso., Inc |
| Lee Lime Co., Lee, Mass. Hydrated Lime Hydrated Lime Hydrated Lime Lime | D. U. Smith, Ashley Falls, Mass. Ground Limestone | 956 Ground Limestone | | Ğ | U. S. Gypsum Lime Co., Falls Village, Conn. Ground Limestone | | Ground Limestone | Manufacturer Unknown Limestone Flour, Frank's | Limestone Flour, Bennie's |
| 9796 9797 9900 9899 | 8398 | 926 | 096 | 961 | 8395 | 955 | 1124 | 7701 | 7702 |

| | | Station No. | | 9802 | 9851 | 9854 | 9902 | 1061 | 9843 | 245 | 235 | 505 | 503 | 88 | 91 |
|------------------------|----------------|-------------------------------------|---|--|--|-------|--|---|----------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|--|------------------------------|
| nical | | 100 mesh | % | : | : | : | : | : | : | : | : | : | : | : | 56.0 |
| Mechanical analysis | | , desem 02 | % | : | : | : | : | : | : | : | | : | : | : | 100.0 |
| | | Total oxides | % | 79.83 | 74.54 | 73.88 | 33.64 | 71.57 | 79.19 | 80.15 | 33.71 | 34.11 | 77.71 | 63.96 | 52.03 |
| 1 | (MgO) | Guaranteed | % | : | : | 0.50 | : | : | : | : | : | : | : | : | |
| Chemical analysis | Magnesia (MgO) | puno.1 | % | 32.52 | 0.62 | 0.85 | 0.23 | 0.56 | 32.79 | 32.95 | 0.20 | 0.02 | 31.63 | 26.30 | 21 50 |
| Chemica | CaO) | Guaranteed | % | : | : | 70.00 | : | : | : | | | : | : | : | |
| | Lime (CaO) | punod | % | 47.31 | 73.92 | 73.03 | 33.41 | 71.01 | 46.40 | 47.20 | 33.51 | 34.04 | 46.08 | 37.66 | 30.44 |
| | | Sampled from stock of or sent by | | Hartford: Consolidated Cigar Corp. | Simsbury: Cullman Bros., Inc., Farm No. 2 | | Simsbury: Cullman Bros., Inc., Farm No. 1 | Simsbury: Cullman Bros., Inc., Farm No 1 | Hartford: L. B. Haas & Co., Inc. | Hartford: The Hartman Tobacco | Hartford: The Hatheway-Steane | Hartford: A. N. Shepard & Son | Hartford: A. N. Shepard & Son | Windsor: Dr. T. R. Swanback, Tobacco Station | Windsor: Dr. T. R. Swanback, |
| | | Manufacturer and Brand | | Agricultural Hydrated Lime — Portland Farm | Calcic Lime | ne | Land Plaster — Car Redd. 4720 | Spray Lime | 9843 Lime No. 25 | 245 Hydrated Lime | Land Plaster | Land Plaster | Hydrated Lime | Hydrated Magnesium Lime | Dolomitic Limestone |
| | | .oZ noitas .— | | | 9351 | 9854 | 2066 | 1061 | 9843 | 245 | 235 | 505 | 503 | 88 | 91 |

TABLE 12. ANALYSES OF MISCELLANEOUS MATERIALS

| Station No. | Material | Moisture | Ash | Organic and volatile | Nitrogen | Phosphoric acid | Potash |
|-------------------|---|-----------|---------|----------------------|--------------------|-----------------|--------|
| 698– 703 | Wool Waste, Broad Brook Co., Broad Brook, Conn | % | % | % | % | % | % |
| 700 | Burr and breast waste | | | | 8.2 | | |
| | Flyings and sweepings | | ' | | 8.0 | | |
| | Card strippings | | | | | | |
| | Fulling mill flocks | | | | 7.0 | • • • | |
| | Diet from woods duster | | | | 7.4 | • • • • | |
| | Dirt from waste duster | | | | 4.0 | | |
| 0554 | Shear and napper flocks | | | | 14.1 | | |
| 8554 | Beetle-ware waste | | | | 18.98 ¹ | | |
| 602° | Barnyard manure + lime and | | | | | | |
| 2 | phosphate | 76.2 | | | 0.27 | 0.34 | 0.42 |
| 7676 ³ | Incinerator ash, United Air- | | | | | | |
| | craft Co., East Hartford | | | | | 0.75 | 0.49 |
| 7641 | Maine peat moss, R. Cohen, | | | | | | |
| | Hartford | 19.61 | 2.66 | 77.73 | 1.27 | 1.08 | 0.08 |
| 6738 | Poultry manure | (dry) | 29.14 | 70.86 | 3.24 | 4.35 | 1.71 |
| 8360 | Sewage deposit | | | | | | |
| | (City of Meriden) No. 1 | 3.76 | 63.59 | 32.65 | 1.60 | 0.65 | |
| 8361 | Sewage deposit | | | | | | , |
| | (City of Meriden) No. 2 | 12.75 | 43.25 | 44.00 | 1.77 | 0.60 | |
| 8362 | Sewage deposit | | | | | | |
| | (City of Meriden) No. 3 | 69.80 | 9.14 | 21.06 | 0.71 | 0.25 | |
| 903 | Sewage sludge | | | | | | |
| | (City of Torrington) | 28.90 | 44.02 | 27.08 | 1.24 | 0.95 | 0.36 |
| 11384 | Tea leaf waste + lime | | | | | | |
| | (Lawn dressing) | 42.00 | 18.60 | 39.40 | 1.46 | 0.48 | 0.91 |
| 1099 | Furnace soot | | | | 0.06 | 0.61 | 0.25 |
| 9953 ⁵ | Tobacco dust | (air-dry) | | | 2.94 | | 3.73 |
| 8141 ⁶ | Tobacco stems, Canadian | (an ary) | | | , | | 0 |
| | No. 1, (Tobacco Station) | (air-dry) | | | 2.42 | | 6.78 |
| 8142 ⁷ | Tobacco stems, American | (un dij) | | | | | 0.70 |
| 0112 | No. 2, (Tobacco Station) | (air-dry) | | | 1.34 | | 4.54 |
| 8143 ^s | Tobacco stems, Canadian | (an-dry) | | | 1.54 | | 7.57 |
| 0140 | No. 3, (Tobacco Station) | (air-dry) | | | 0.99 | | 4.05 |
| 21 | Tobacco stems (Thompson- | (an-dry) | | | 0.99 | • • • | 4.03 |
| 21 | | (air-dry) | | | 3.07 | | 8.62 |
| 1006 | ville) Tobacco Station | (air-dry) | • • • • | | 3.07 | • • • | 8.02 |
| 1000 | Tobacco stems (85% Penn., | 20.70 | | | 1.02 | 0.50 | 1.60 |
| 1027 | 15% Ohio and Wisconsin) | 29.70 | | | 1.93 | 0.50 | 4.60 |
| 1027 | Tobacco stems (all Penn.) | 24.10 | | | 1.89 | 0.70 | 4.90 |
| | | | | | | | |
| | | | | | | | |

 $^1\mathrm{NO}_3$ none, NH₃ none, organic water-insol. 18.88, activity alk. permanganate 41%, neutral permanganate 66%. $^2\mathrm{CI}$ 0.13%. $^3\mathrm{CI}$ 0.11%, CaO 8.96%, MgO 3.55%. $^4\mathrm{New}$ Jersey source, CaO 9.02%. $^5\mathrm{Nicotine}$ 0.96%. $^6\mathrm{Nicotine}$ 0.77%. $^7\mathrm{Nicotine}$ 0.41%. $^8\mathrm{Nicotine}$ 0.28%.



INDEX

| Page | |
|--|-------------|
| Acme Guano Co., The, Baltimore, Md. 42, 59, 66, 67, 80 Alkire, Ted, Lubbock, Texas 42, 61 American Agricultural Chemical Co., No. Weymouth, Mass. |) [|
| American Agricultural Chemical Co., No. Weymouth, Mass. | , |
| American Cyanamid Co., New York, N. Y | 3 |
| 43, 52, 55, 57, 59, 60, 61, 62, 63, 64, 66–69, 80, 87 Archer-Daniels-Midland Co., Minneapolis, Minn. 43, 58 Armour Fertilizer Works, New York, N. Y. 43, 59, 64, 68, 80, 87 Ashcraft-Wilkinson Co., Atlanta, Ga. 42, 44, 57 Associated Seed Growers, Inc., New Haven, Conn. 44, 68, 80 Atkins & Durbrow, Inc., New York, N. Y. 44, 87 | 7 7 7 |
| Barrett Co., The, New York, N. Y. 44, 55 Bartlett, F. A., Tree Expert Co., Stamford, Conn. 44, 68, 80 Baugh & Sons Co., The, Baltimore, Md. 44, 59, 64, 68, 69, 80 Berkshire Chemical Co., Bridgeport, Conn. 44, 64, 70, 71, 80, 87 Bone meal 52, 64, 65 Bradley & Baker, New York, N. Y. 44, 57 |) 7 5 |
| Castor pomace, analyses of | 3 |
| Davey Tree Expert Co., The, Kent, Ohio44,72,73,80,87Davison Chemical Corp., The, Baltimore, Md.45,59Dry ground fish52,62DuPont de Nemours, E. I. & Co., Inc.45,55 | 2 |
| Eastern States Farmers' Exchange, Springfield, Mass. 45, 55, 59, 60, 61, 62, 65, 72, 73, 80 Emerson, Thomas W. Co., Boston, Mass |) |
| Faesy & Besthoff, Inc., New York, N. Y. Fertilizer, analyses of mixed 52, 66–79 classification and tonnage 48, 49, 50 law and regulations 41, 42 Ford Motor Co., Dearborn, Mich. 45, 55 |) |
| General Chemical Co., Mechling Products Div., Camden, N. J. 45, 72, 73, 80 Glidden Co., Soya Products Div., Chicago, Ill. 45, 58 Goulard & Olena, Inc., New York, N. Y. 45, 65, 72, 73, 80, 87 Greenlands Services, Inc., Concord, N. H. 45, 72, 73, 80 | 3 |
| Hoffman, A. H., Inc., Landisville, Pa. 45 Horn and hoof meal 45 Humphreys-Godwin Co., Memphis, Tenn. 45, 57 | , |
| Killen & Hall, Inc., Darien, Conn. 45, 72, 73, 80 Kuiper & Bolle, New York, N. Y. 45, 58 |) |
| Limestone 53, 89–92 Linseed meal, analysis of 58 Lovitt, L. B., & Co., Memphis, Tenn. 45, 57 | 3 |
| McArdle's Seed Store, Greenwich, Conn.45,72,73,80Meader & Co., Inc., New York, N. Y.45Miscellaneous materials53,93 | |
| National Lead Co., New York, N. Y. 45 Nitrate of potash, analyses of 51 Nitrate of soda-potash, analysis of 52 | |

| Pas | zе |
|---|---------------|
| Old Deerfield Fertilizer Co., Inc., So. Deerfield, Mass. 45, 51, 57, 74, 75, 8 Olds & Whipple, Inc., Hartford, Conn. 46, 57, 60, 61, 62, 65, 74, 75, 8 Outpost Nurseries, Inc., Ridgefield, Conn. 46, 74, 75, 8 | 30 30 |
| Plantspur Products Co., Ridgefield, N. J. 46, 74, 75, 8 Platt, Frank S., Co., New Haven, Conn. 46, 74, 75, 8 Potash salts 51, 6 Precipitated bone 51, 6 | 30 51 |
| Pulverized Manure Co., The, Chicago, Ill | 38 |
| Registrations 42-4 Rogers & Hubbard Co., The, Portland, Conn. 46, 60, 62, 65, 74-77, 80, 8 Ruhm Phosphate & Chemical Co., Mt. Pleasant, Tenn. 4 | 38 46 |
| Scott, O. M., & Sons Co., Marysville, Ohio | 53 |
| Sheep manure and other materials 53,87,8 Shoemaker, M. L., Co., Philadelphia, Pa. 47,76,77,8 Soil Builders, Inc., Dunnellon, Fla. 47,6 Soybean oil meal, analyses of 5 | 30 50 |
| Special and home mixtures | 36 |
| Staley, A. E., Mfg. Co., Decatur, Ill | 55 88 |
| Sulfate of ammonia, analyses of | 5 30 50 |
| Swift & Co., Fertilizer Works, Baltimore, Md 47, 65, 76, 77, 80, 8 | 88 |
| Tankage 52,6 Tennessee Corp., Lockland, Ohio 47,76,77,8 Thomas, I. P., & Son, Co., Camden, N. J. 47,78,79,8 | 30 |
| Uramon, analysis of | 5 |
| Walker-Gordon Laboratory Co., Inc., Plainsboro, N. J. 47, 8 Woodruff, F. H., & Sons, Inc., Milford, Conn. 47, 78, 79, 8 Woodruff Fertilizer Works, Inc., Orange, Conn. 47, 60, 78, 79, 8 | 0 |

